



PRO-AV CATALOGUE 2025-2026

Preliminary version



For more than 50 years, Vogel's has been developing innovative, reliable and user-friendly mounting solutions for both the consumer and professional markets. Solutions that excel in design, safety and ease of installation. So you never choose just any mounting solution. You choose the certainty of the best solution.

Vogel's. For Sure.

TABLE OF CONTENTS

Why Vogel's?.....	5	Rental - Wall Truss (SmartMetals).....	149
Vogel's. For Tomorrow.....	6	Rental - Light Series (SmartMetals).....	150
Quality guaranteed	7	Rental - Heavy Duty Series (SmartMetals)....	154
Pro-AV Mount Advisor.....	8	Rental - Display Mounts (SmartMetals).....	158
Vogel's Connect-it	10	Rental - Electric Hoist System (SmartMetals)	160
Connect-it Wall	12	Rental - Projector Mounts (SmartMetals).....	161
Connect-it Ceiling	22	Rental - Stack Frames (SmartMetals).....	165
PUC 24 Series - Ceiling.....	23	Rental - Stack Frames (SmartMetals).....	166
PUC 25 Series - Ceiling.....	32	Samsung OMN-D solution.....	167
Connect-it Floor.....	43	LG Outdoor - Floor & Wall solutions.....	168
PUC 27 Series - Floor Stands.....	45	Indoor + Outdoor Housings (SmartMetals)..	171
PUC 27 Series - Trolleys.....	49	MOMO Monitor Mounts.....	174
Heavy Duty+Installation Series (SmartMetals)	64	TabLock® Tablet Holders.....	180
Universal Video Wall solutions	71	Projector Lifts.....	182
PUC 29 Series - Floor.....	72	Projector Ceiling Mounts.....	186
PUC 29 Series - Ceiling.....	75	Index.....	192
dvLED Connect-it.....	88		
Barco UniSee® and TruePix solutions.....	94		
Video Wall Pop-out Mounts	95		
PFW Series Wall Mounts + XXL Mounts.....	98		
XXL Wall Mounts (SmartMetals).....	108		
RISE Motorized Display Lifts.....	110		
RISE - Whiteboards	116		
Motorized dvLED/LCD Trolley + Tilt Lift.....	123		
Floor Lifts XL (SmartMetals).....	124		
Floor Lifts XL - Whiteboards (SmartMetals)...	125		
Business Stand + Trolley (SmartMetals).....	134		
Motorized Wall+Cabinet Lift (SmartMetals)	138		
Floor Stands and Trolleys.....	140		
Videoconferencing Furniture.....	145		
Camera Mounts.....	146		
BalanceBoxes (SmartMetals).....	147		

Why Vogel's?

The best solution

In our Product Development Centre, we develop products that fully meet the wishes of the end user and those of the installer. This is the starting point of any new product development process at Vogel's. What do we add to that? Future proof design. So that, even after many years of intensive use, the end user is as happy as ever with it.

The best materials

At Vogel's, we don't compromise on quality. You have to be confident that you have bought a very strong, solid and sustainable product. For us, quality is key in every step of the design process.

Maximum safety

Virtually all Vogel's products are TÜV-certified. An independent guarantee that you have an absolutely safe product. We test many products for the professional market at five times the maximum weight capacity.

Quick and easy installation

Every Vogel's product is designed for easy mounting. As an installer, this saves you a lot of time, especially on large projects.

Service and support

As easy as our solutions are to install, sometimes extra support is needed. In corporate environments, you also encounter complex and large installation challenges. Our engineers and product designers have a great deal of experience and are happy to offer you expert advice.



“ Corporate social responsibility is not an optional task. We owe it to our future generations.

Gerdi Vogels, CEO ”



Vogel's. For Tomorrow.

As a market leader and innovator, we like to lead the way with high-quality products. We are always looking for the ultimate solution.

Corporate Social Responsibility is part of this. Respect for people and the environment is an important value to us. And we act accordingly.

People

Investing in people is investing in the future. This includes being a good employer and doing business fairly. Important themes that have already brought us a lot.

Planet

As a market leader, we want the production and consumption of our products to be as responsible as possible. This includes reducing our carbon footprint, which is an ongoing process.

Profit

As a part of society, we like to do our bit. Vogel's feels involved and likes to make a positive contribution to the local economy and community.

Sustainable packaging

For our latest product lines we developed fully recyclable packaging. We use 95% less single-use plastics and all EPS (Styrofoam) has been replaced by paper pulp.

Raw materials and production process

We apply strict environmental guidelines to our production process. We also look carefully at the origin of our raw materials. In order to leave these raw materials undamaged as much as possible, we strive for high quality products with a long lifespan.



Quality guaranteed

TÜV NORD

The TÜV NORD label is an additional confirmation that Vogel's products are safe. All Vogel's products for the consumer market and the professional market are tested thoroughly.

Virtually all of our products are applicable for certification and meet the strict requirements of this agency*. TÜV NORD is an independent certification authority for products and manufacturing processes. They carry out independent quality and safety tests and are recognized globally as the label of excellent quality.

Almost all Vogel's products carry the TÜV NORD label. Vogel's has this voluntary certification carried out as additional proof that its products are safe. Part of this process is an accelerated sustainability test.

All certified products for professional use are tested to carry at least five times the indicated weight without collapsing (deformation is possible).

fischer® mounting materials*


Professionals around the world trust the innovative products, materials and services by fischer® for mounting solutions. We have chosen the fischer wall plugs because of their great expertise and proven solidity. This is reflected in the high quality of their products and possibilities for different wall types.

**with exception of the SmartMetals product line*

Pro-AV Mount Advisor

Find the exact solution you need

Vogel's has developed the Pro-AV Mount Advisor. The product range of Vogel's consists of an extensive number of (modular) products. It is possible to compose a solution for nearly every application.



Check out the Pro-AV Mount Advisor on the Vogel's website: **vogels.com/en/p/pro-avmountadvisor**

So many mounting options,
unlimited solutions...

Configure your solution in just
a few easy steps!

Innovative mounting solutions for every application

The SmartMetals product line is part of the Vogel's assortment, enhancing our offering to the professional AV market. Developed by a dedicated team of engineers, designers, and product managers, our innovative solutions are designed to meet the highest standards of quality and reliability for AV installations.

With the addition of SmartMetals, Vogel's offers a streamlined and complete range of solutions for every AV mounting application. This allows us to optimize our product offering, ensuring professionals have access to the right tools for any project, all in one place.





Vogel's Connect-it

**Limited components,
unlimited possibilities**

Vogel's Connect-it modular concept consists of a complete range of universal wall-, ceiling- and floor solutions for all kind of displays.

The modularity of Connect-it is unique. With only a few standard components you can create solutions for almost every situation. From basic, single display solutions to more complex, multiple display solutions such as back-to-back, side-by-side, floor to ceiling and even all kind of video walls.

**Universal display interface for
multiple solutions**

The modular display interface consists of two separate components:


- An interface bar for the horizontal display fitment
- A set of two display interface strips for the vertical fitment

Whether you require a wall solution, ceiling solution, a floor solution or a video wall solution, a Connect-it display interface is needed.

Connect-it Wall Mounts


A Connect-it wall mount consists of two separate components: a display interface bar and two display interface strips. The interface bar is for the horizontal display fitment and the display interface strips are for the vertical fitment.

Display Interface Bars



	Dimensions (mm)						Max. horizontal fitment			Depth of bar including strip			Brackets	Max. weight (kg)
	A	B	C	D	E	F	PFS 32xx	PFS 33xx	PFS 35xx	PFS 32xx	PFS 33xx	PFS 35xx		
PFB 3402	290	275	137	35	157	180	225	225	310	67	67	73-90	1	80
PFB 3405	515	500	137	35	157	180	450	450	535	67	67	73-90	1	80
PFB 3407	715	700	137	35	157	180	650	650	735	67	67	73-90	1	80
PFB 3409	915	900	137	35	157	180	850	850	935	67	67	73-90	1	80
PFB 3411	1175	1160	137	35	157	180	1110	1110	1195	67	67	73-90	2	160
PFB 3419	1915	1900	137	35	157	180	1850	1850	1935	67	67	73-90	3	160
PFB 3427	2765	2750	137	35	157	180	2700	2700	2785	67	67	73-90	3	160
PFB 3433	3315	3300	137	35	157	180	3250	3250	3335	67	67	73-90	3	160

Display Interface Strips



	Strips	Dimensions (mm)			Min. fitment	Max. fitment	Tilt °	Max. weight (kg)
		A	B	C				
160 kg strips	PFS 3204	430	67	41	200	400	+3/0/-3	80
	PFS 3208	830	67	41	200	800	+3/0/-3	80
Tilt strips	PFS 3302	295	67	41	75	270	+20/+15/+10/0	80
	PFS 3304	450	67	41	100	420	+20/+15/+10/0	80
	PFS 3306	630	67	41	200	600	+20/+15/+10/0	80
	PFS 3308	830	67	41	200	800	+20/+15/+10/0	80
	PFS 3311	1130	67	41	200	1100	+20/+15/+10/0	80
	PFS 3504	482	73-90	79	200	400	+7/0/-3	80
Video wall strips	PFS 3508	857	73-90	79	200	800	+7/0/-3	80

DISPLAY
INTERFACE BARS

PFB 3402

Display Interface Bar

PFB 3405

Display Interface Bar



Specifications

Max. weight load on wall (kg)	53	53
Width (mm)	290	515
Min. horizontal hole pattern (mm)	100	100
Max. horizontal hole pattern (mm)	225	450

Guarantee



TÜV certified		
Guarantee	5 years	5 years

General

Colour	Black Silver	Black Silver
Article number	7234020 (Black) 7234024 (Silver)	7234050 (Black) 7234054 (Silver)
EAN single box	8712285329401 (Black) 8712285323027 (Silver)	8712285329425 (Black) 8712285318764 (Silver)

More info 

More info 



PFB 3407

Display Interface Bar



53
715
100
650




5 years

Black | Silver

7234070 (Black)
7234074 (Silver)

8712285329449 (Black)
8712285318788 (Silver)

More info



PFB 3409

Display Interface Bar



53
915
100
850




5 years

Black | Silver

7234090 (Black)
7234094 (Silver)

8712285329463 (Black)
8712285318801 (Silver)

More info



PFB 3411

Display Interface Bar



106
1175
100
1110




5 years

Black | Silver

7234110 (Black)
7234114 (Silver)

8712285329487 (Black)
8712285318825 (Silver)

More info



DISPLAY
INTERFACE BARS

PFB 3419

Display Interface Bar

PFB 3427

Display Interface Bar



Specifications

Max. weight load on wall (kg)	160	160
Width (mm)	1915	2750
Min. horizontal hole pattern (mm)	100	100
Max. horizontal hole pattern (mm)	1850	2700

Guarantee

TÜV certified		
Guarantee	5 years	5 years






General

Colour	Black Silver	Black Silver
Article number	7234190 (Black) 7234194 (Silver)	7234270 (Black) 7234274 (Silver)
EAN single box	8712285328749 (Black) 8712285330209 (Silver)	8712285328763 (Black) 8712285330223 (Silver)

More info



More info



PFB 3433

Display Interface Bar



160

3300

100

3250



5 years

Black | Silver


7234330 (Black)

7234334 (Silver)

8712285328787 (Black)

8712285330247 (Silver)

More info 



DISPLAY
INTERFACE STRIPS

Specifications

Max. weight load (kg)	160	160
Min. vertical hole pattern (mm)	200	200
Max. vertical hole pattern (mm)	400	800
Height (mm)	430	830
Tilt	Tilt -3°/+3°	Tilt -3°/+3°
Service position	-	-


Guarantee

TÜV certified		
Guarantee	5 years	5 years


General

Colour	Black	Black
Article number	7232040	7232080
EAN single box	8712285329302	8712285329326

More info 



More info 



PFS 3302

Display Interface Strips



80

75

270

295

Tilt up to 20°

-




5 years

Black

7233020

8712285323041

More info



PFS 3304

Display Interface Strips



80

100

420

450

Tilt up to 20°

-




5 years

Black

7233040

8712285318863

More info



PFS 3306

Display Interface Strips



80

200

600

630

Tilt up to 20°

-




5 years

Black

7233060

8712285318900

More info



DISPLAY
INTERFACE STRIPS

Specifications

Max. weight load (kg)	
Min. vertical hole pattern (mm)	
Max. vertical hole pattern (mm)	
Height (mm)	
Tilt	
Service position	

Guarantee

TÜV certified	
Guarantee	



General

Colour	
Article number	
EAN single box	

PFS 3308
Display Interface Strips



PFS 3311
Display Interface Strips



More info

More info

PFS 3504

Display Interface Strips



80
100
400
482
Tilt -3°/+7°
•




5 years

Black

7235040

8712285328800

More info



PFS 3508

Display Interface Strips



80
200
800
857
Tilt -3°/+7°
•




5 years

Black

7235080

8712285328824

More info



Bar Coupler PFB 34xx



Bracket Kit PFB 34xx



Column Clamp



80

Compatible with PFB/PFW 10xx/PFW
20xx/PFW 3030

Max. weight load (kg)

Min. screen size (inch)

Max. screen size (inch)

Tilt

Exceptions | Remarks

TÜV certified

Guarantee



5 years



5 years

Colour

Colour

Black

Black

Black

Article number

7291040

7291260

7291450

EAN single box

8712285320743

8712285330940

8712285343407




More info



More info



More info



PFA 9122

Z-bracket PFS 3504



80

Tilt up to 8°


5 years

Black

7291220

8712285328664

More info



PFA 9168

Cisco Webex Adapter



55

85


5 years

Black

7291680

8712285351402

More info



PFA 9174

Cisco Webex Pro Adapter



55

75


5 years

Black

7291740

8712285361029

More info



PFA 9109

Padlock Display Strips




5 years

Black

7291090

8712285321023

More info





Connect-it Ceiling

Choose the right ceiling plate, pole length and display interface (based on the fitment of your display).

PUC 24 Series

- For small displays
- 360° turn function or fixed
- Poles compatible with PPC 1500/2500

PUC 25 Series

- For medium to large displays
- Aluminum poles; simply cut to required length
- Mounting multiple displays back-to-back or side-by-side

PUC 29 Series

- For large to extra large displays
- Mounting video walls of different sizes

CEILING KITS - TURN

Specifications

Max. weight load (kg)	30	30	30	30	
Max. distance to ceiling - center display (mm)	1009	1709	2409	3209	
Min./ Max. screen size (inch)	10 / 32	10 / 32	10 / 32	10 / 32	
Ceiling types	Flat / inclined ceiling	Flat / inclined ceiling	Flat / inclined ceiling	Flat / inclined ceiling	Ceiling type
Turn	Up to 360°	Up to 360°	Up to 360°	Up to 360°	
Tilt	Tilt up to 20°	Tilt up to 20°	Tilt up to 20°	Tilt up to 20°	Tilt
Min. VESA hole pattern (mm)	50 x 50	50 x 50	50 x 50	50 x 50	
Max. VESA hole pattern (mm)	100 x 100	100 x 100	100 x 100	100 x 100	

Guarantee

TÜV certified					
Guarantee	5 years	5 years	5 years	5 years	





General

Colour	Black Silver	Black Silver	Black Silver	Black Silver	
Article number	7955010 (Black) 7955014 (Silver)	7955030 (Black) 7955034 (Silver)	7955060 (Black) 7955064 (Silver)	7955080 (Black) 7955084 (Silver)	

[More info](#)

[More info](#)

[More info](#)

[More info](#)


CEILING KITS - TURN

Specifications

Max. weight load (kg)	30	30	30	30
Max. distance to ceiling - center display (mm)	978	1678	2378	3178
Min./ Max. screen size (inch)	19 / 43	19 / 43	19 / 43	19 / 43
Ceiling types	Flat / inclined ceiling	Flat / inclined ceiling	Flat / inclined ceiling	Flat / inclined ceiling
Turn	Up to 360°	Up to 360°	Up to 360°	Up to 360°
Tilt	Tilt up to 20°	Tilt up to 20°	Tilt up to 20°	Tilt up to 20°
Min. VESA hole pattern (mm)	100 x 100	100 x 100	100 x 100	100 x 100
Max. VESA hole pattern (mm)	200 x 200	200 x 200	200 x 200	200 x 200

Guarantee

TÜV certified				
Guarantee	5 years	5 years	5 years	5 years

General

Colour	Black Silver	Black Silver	Black Silver	Black Silver
Article number	7955020 (Black) 7955024 (Silver)	7955040 (Black) 7955044 (Silver)	7955070 (Black) 7955074 (Silver)	7955090 (Black) 7955094 (Silver)

More info







More info



More info



More info



CEILING KITS - TURN

Specifications

Max. weight load (kg)	40	40	40	40
Max. distance to ceiling - center display (mm)	821	1521	2221	3021
Min./ Max. screen size (inch)	32 / 65	32 / 65	32 / 65	32 / 65
Ceiling types	Flat / inclined ceiling	Flat / inclined ceiling	Flat / inclined ceiling	Flat / inclined ceiling
Turn	Up to 360°	Up to 360°	Up to 360°	Up to 360°
Tilt	Tilt up to 20°	Tilt up to 20°	Tilt up to 20°	Tilt up to 20°
Min. VESA hole pattern (mm)	100 x 100	100 x 100	100 x 100	100 x 100
Max. VESA hole pattern (mm)	400 x 400	400 x 400	400 x 400	400 x 400

Guarantee

TÜV certified

Guarantee



5 years



5 years



5 years



5 years

General

Colour	Black Silver	Black Silver	Black Silver	Black Silver
Article number	7955100 (Black) 7955104 (Silver)	7955110 (Black) 7955114 (Silver)	7955120 (Black) 7955124 (Silver)	7955130 (Black) 7955134 (Silver)

More info







More info



More info



More info



CEILING KITS - FIXED

	C40844 Display Ceiling Mount	C41544 Display Ceiling Mount	C42244 Display Ceiling Mount	C43044 Display Ceiling Mount
				
Specifications				
Max. weight load (kg)	25	25	25	25
Max. distance to ceiling - center display (mm)	729	1429	2129	2929
Min./ Max. screen size (inch)	32 / 65	32 / 65	32 / 65	32 / 65
Ceiling types	Flat ceiling	Flat ceiling	Flat ceiling	Flat ceiling
Tilt	Tilt up to 20°	Tilt up to 20°	Tilt up to 20°	Tilt up to 20°
Min. VESA hole pattern (mm)	100 x 100	100 x 100	100 x 100	100 x 100
Max. VESA hole pattern (mm)	400 x 400	400 x 400	400 x 400	400 x 400
Guarantee				
TÜV certified				
Guarantee	5 years	5 years	5 years	5 years
General				
Colour	Black Silver	Black Silver	Black Silver	Black Silver
Article number	7955600 (Black) 7955604 (Silver)	7955610 (Black) 7955614 (Silver)	7955660 (Black) 7955664 (Silver)	7955620 (Black) 7955624 (Silver)

CEILING KITS - TURN

CT40844

Display Ceiling Mount



CT41544

Display Ceiling Mount



CT42244

Display Ceiling Mount



CT43044

Display Ceiling Mount



Specifications

Max. weight load (kg)	25	25	25	25
Max. distance to ceiling - center display (mm)	788	1488	2188	2988
Min./ Max. screen size (inch)	32 / 65	32 / 65	32 / 65	32 / 65
Ceiling types	Flat / inclined ceiling	Flat / inclined ceiling	Flat / inclined ceiling	Flat / inclined ceiling
Turn	Up to 360°	Up to 360°	Up to 360°	Up to 360°
Tilt	Tilt up to 20°	Tilt up to 20°	Tilt up to 20°	Tilt up to 20°
Min. VESA hole pattern (mm)	100 x 100	100 x 100	100 x 100	100 x 100
Max. VESA hole pattern (mm)	400 x 400	400 x 400	400 x 400	400 x 400

Guarantee

TÜV certified				
Guarantee	5 years	5 years	5 years	5 years

General

Colour	Black Silver	Black Silver	Black Silver	Black Silver
Article number	7955630 (Black) 7955634 (Silver)	7955640 (Black) 7955644 (Silver)	7955670 (Black) 7955674 (Silver)	7955650 (Black) 7955654 (Silver)

CEILING PLATES

PUC 1041
Ceiling Plate PUC 24xx



PUC 1045
Ceiling Plate PUC 24xx



PUC 1051
Truss Adapter PUC 24xx



Specifications

Max. weight load (kg)	25	40	40
Turn		Up to 360°	
Tilt		Tilt up to 90°	
Ceiling types	Flat ceiling	Flat / inclined ceiling	Truss system


Guarantee

TÜV certified			
Guarantee	5 years	5 years	5 years


General

Colour	Black	Black	Stainless Steel
Article number	7210410	7210450	7210514
EAN single box	8712285411007	8712285343940	8712285344404


More info






More info



More info



POLES

	PUC 2408 Pole	PUC 2415 Pole	PUC 2422 Pole	PUC 2430 Pole
				
Specifications				
Max. weight load (kg)	40	40	40	40
Length (mm)	800	1500	2200	3000
Guarantee				
TÜV certified				
Guarantee	5 years	5 years	5 years	5 years
General				
Colour	Black Silver	Black Silver	Black Silver	Black Silver
Article number	7224080 (Black) 7224084 (Silver)	7224150 (Black) 7224154 (Silver)	7224220 (Black) 7224224 (Silver)	7224300 (Black) 7224304 (Silver)
EAN single box	8712285344428 (Black) 8712285344442 (Silver)	8712285344466 (Black) 8712285344480 (Silver)	8712285344503 (Black) 8712285344527 (Silver)	8712285344541 (Black) 8712285344565 (Silver)
	More info 	More info 	More info 	More info 
				

INTERFACES

PFI 3015

Interface VESA
50x50/75x75/100x100



PFI 3045

Interface VESA 200x100/200x200



PFI 3050

Interface VESA 100x100-400x400



Specifications

Max. weight load (kg)	30	30	25
Min./ Max. screen size (inch)	10 / 32	19 / 43	32 / 65
Tilt	Tilt up to 20°	Tilt up to 20°	Tilt up to 20°
Hole pattern (VESA)	50 mm x 50 mm 75 mm x 75 mm 100 mm x 100 mm	100 mm x 100 mm 200 mm x 100 mm 200 mm x 200 mm	100 mm x 100 mm 100 mm x 200 mm 200 mm x 100 mm 200 mm x 200 mm 200 mm x 300 mm 300 mm x 200 mm 300 mm x 300 mm 400 mm x 200 mm 400 mm x 300 mm 400 mm x 400 mm

Guarantee

TÜV certified			
Guarantee	5 years	5 years	5 years

General

Colour	Black	Black	Black
Article number	7230150	7230450	7230500
EAN single box	8712285343865	8712285343889	8712285411021




More info



More info



More info



ACCESSORIES

Specifications




Max. weight load (kg)	80	80		
H-beam size	70-180 mm	150-300 mm		
Length (mm)			4000	

Guarantee

TÜV certified				
Guarantee	5 years	5 years	5 years	5 years

General

Colour	Black	Black	Stainless Steel	Silver
Article number	7295154	7295164	7295104	7291490
EAN single box	8712285345166	8712285345180	8712285335884	8712285345425



CEILING KITS -
FIXED

Specifications

Max. weight load (kg)	80	80	80
Max. distance to ceiling - center display (mm)	700	1400	2900
Max. screen size (inch)	65	65	65
Tilt	Tilt up to 20°	Tilt up to 20°	Tilt up to 20°
Ceiling types	Flat ceiling	Flat ceiling	Flat ceiling
Min. VESA hole pattern (mm)	100 x 100	100 x 100	100 x 100
Max. VESA hole pattern (mm)	450 x 420	450 x 420	450 x 420

Guarantee

TÜV certified			
Guarantee	5 years	5 years	5 years

General

Colour	Black Silver	Black Silver	Black Silver
Article number	7950010 (Black) 7950014 (Silver)	7950020 (Black) 7950024 (Silver)	7950030 (Black) 7950034 (Silver)




More info



More info



More info



CEILING KITS - TURN

CT0844

Display Ceiling Mount



CT1544

Display Ceiling Mount



CT3044

Display Ceiling Mount



Specifications

Max. weight load (kg)	80	80	80
Max. distance to ceiling - center display (mm)	700	1400	2900
Max. screen size (inch)	65	65	65
Turn	Up to 360°	Up to 360°	Up to 360°
Tilt	Tilt up to 20°	Tilt up to 20°	Tilt up to 20°
Ceiling types	Flat ceiling	Flat ceiling	Flat ceiling
Min. VESA hole pattern (mm)	100 x 100	100 x 100	100 x 100
Max. VESA hole pattern (mm)	450 x 420	450 x 420	450 x 420

Guarantee




TÜV certified			
Guarantee	5 years	5 years	5 years

General

Colour	Black Silver	Black Silver	Black Silver
Article number	7950080 (Black) 7950084 (Silver)	7950090 (Black) 7950094 (Silver)	7950100 (Black) 7950104 (Silver)

[More info](#)

[More info](#)

[More info](#)


CEILING KITS -
DOUBLE POLE

Specifications

Max. weight load (kg)
Max. distance to ceiling - center display (mm)
Min. screen size (inch)
Tilt
Ceiling types
Min. VESA hole pattern (mm)
Max. VESA hole pattern (mm)

CD1564
Display Ceiling Mount



160
1400
65
Tilt -3°/+3°
Flat ceiling
100 x 100
650 x 400

CD3064
Display Ceiling Mount



160
2900
65
Tilt -3°/+3°
Flat ceiling
100 x 100
650 x 400

Guarantee

TÜV certified
Guarantee



5 years



5 years

General

Colour
Article number

Black | Silver



7950040 (Black)
7950044 (Silver)

Black | Silver

7950060 (Black)
7950064 (Silver)

More info

More info



CD1584

Display Ceiling Mount



160

1400

65

Tilt -3°/+3°

Flat ceiling

100 x 100

850 x 400




5 years

Black | Silver

7950050 (Black)

7950054 (Silver)

More info



CD3084

Display Ceiling Mount



160

2900

65

Tilt -3°/+3°

Flat ceiling

100 x 100

850 x 400




5 years

Black | Silver

7950070 (Black)

7950074 (Silver)

More info



CEILING PLATES

PUC 1060
Ceiling Plate PUC 25xx

PUC 1065
Ceiling Plate PUC 25xx

PUC 1070
Ceiling Plate PUC 25xx



Specifications

Max. weight load (kg)	80	80	80
Turn		Up to 360°	
Tilt			Tilt up to 90°
Ceiling types	Flat ceiling	Flat ceiling	Flat / inclined ceiling

Guarantee

TÜV certified			
Guarantee	5 years	5 years	5 years

General

Colour	Black	Black	Black
Article number	7210604	7210650	7210704
EAN single box	8712285318665	8712285324123	8712285318689




More info



More info



More info



PUC 1080

Ceiling Plate PUC 25xx



80

Up to 360°

Tilt up to 60°

Flat / inclined ceiling



5 years

Black

7210804

8712285320767

More info



PUC 1090

Truss Adapter



80

Truss system




5 years

Silver



7210904

8712285319389

More info



PUC1080






POLES

	PUC 2508 Pole	PUC 2515 Pole	PUC 2530 Pole
			
Specifications			
Max. weight load (kg)	80	80	80
Length (mm)	800	1500	3000
Guarantee			
TÜV certified			
Guarantee	5 years	5 years	5 years
General			
Colour	Black Silver	Black Silver	Black Silver
Article number	7225080 (Black) 7225084 (Silver)	7225150 (Black) 7225154 (Silver)	7225300 (Black) 7225304 (Silver)
EAN single box	8712285329340 (Black) 8712285318702 (Silver)	8712285329364 (Black) 8712285318726 (Silver)	8712285329388 (Black) 8712285318740 (Silver)

More info 

More info 

More info 



ACCESSORIES

PUA 9507

Accessory Tray PUC 24xx/25xx/27xx



PFA 9127

Accessory Clamp PUC 24xx/25xx/27xx



Specifications

Max. weight load (kg)	10	10
Width (mm)	471	
Depth (mm)	362	

Guarantee

Guarantee	5 years	5 years
-----------	---------	---------



General

Colour	Black Silver	Black
Article number	7295095 (Black) 7295094 (Silver)	7091270
EAN single box	8712285325045 (Black) 8712285321047 (Silver)	8712285331985

More info



More info



ACCESSORIES

PFA 9103

Floor Plate PUC 25xx

PUA 9503

Pole Coupler PUC 25xx



Specifications

Max. weight load (kg)

Length (mm)

80

Guarantee

Guarantee

5 years

5 years

General

Colour

Article number

EAN single box

Black

7291030

8712285320729

Silver



7295054

8712285319402

More info



More info



PUA 9504

Stabilisation Kit PUC 25xx



4000

5 years

Silver

7295064

8712285319426

More info



PFA 9108

Ceiling Cover Ring PUC 25xx




5 years

White

7291081

8712285321009

More info



mm (inch)

CEILING KITS

PFC 555
Display Ceiling Mount



PFC 585
Display Ceiling Mount



Specifications

Max. weight load (kg)	20	20
Min./ Max. screen size (inch)	19 / 43	19 / 43
Min. distance to ceiling (mm)	550	830
Max. distance to ceiling - center display (mm)	810	1380
Tilt	Tilt up to 20°	Tilt up to 20°
Ceiling types	Flat / inclined ceiling	Flat / inclined ceiling
Hole pattern (VESA)	100 mm x 100 mm 200 mm x 100 mm 200 mm x 200 mm	100 mm x 100 mm 200 mm x 100 mm 200 mm x 200 mm

Guarantee



TÜV certified		
Guarantee	5 years	5 years

General

Colour	Silver	Silver
Article number	7305554	7305854
EAN single box	8712285330742	8712285330766

More info 

More info 



Connect-it Floor

Floor Stands and Trolleys

Flexibility is the key feature of the Connect-it floor stands and trolleys, from a basic single to any imaginable multiple solution.

How to choose the correct floor solution?

- Choose floor stand or trolley
- Choose length of the pole
- Check the weight of your display
- Length of the pole in combination with the weight of the display determine the size of the foot plate or trolley frame

Don't forget to order an interface bar and display interface strips, which depend on the screen size (see page 11-19).

Key features

- Flexible modular system
- Multiple display mounting
- Modular display interface for a perfect fit
- Extensive cable space

		Floor stands					Trolleys	
				Back-to-back	Floor mounted			
Pole	Length	PFF 7020	PFF 7030	PFF 7040	PFF 7060	PFF 7070	PFT 8520	PFT 8530
PUC 2715	1,5 m	105 kg	160 kg	2x 80 kg	(2x) 150 kg	(2x) 160 kg	105 kg	160 kg
PUC 2718	1,8 m	80 kg	160 kg	2x 60 kg	(2x) 150 kg	(2x) 160 kg	80 kg	160 kg
PUC 2720	2,0 m	60 kg	120 kg	2x 40 kg	(2x) 150 kg	(2x) 160 kg	60 kg	150 kg



FLOOR STAND KITS

F1544

Display Floor Stand



F1844

Display Floor Stand



F2044

Display Floor Stand



Specifications

Max. weight load (kg)	80	80	60
Height (mm)	1500	1800	2000
Max. screen size (inch)	65	65	65
Min. VESA hole pattern (mm)	100 x 100	100 x 100	100 x 100
Max. VESA hole pattern (mm)	450 x 420	450 x 420	450 x 420

Guarantee

TÜV certified			
Guarantee	5 years	5 years	5 years

General

Colour	Black Silver	Black Silver	Black Silver
Article number	7951010 (Black) 7951014 (Silver)	7951020 (Black) 7951024 (Silver)	7951030 (Black) 7951034 (Silver)




More info



More info



More info



FLOOR
STAND KITS

FD1564

Display Floor Stand



FD1864

Display Floor Stand



FD2064

Display Floor Stand



Specifications

Max. weight load (kg)	80	80	80
Height (mm)	1500	1800	2000
Min. screen size (inch)	65	65	65
Min. VESA hole pattern (mm)	100 x 100	100 x 100	100 x 100
Max. VESA hole pattern (mm)	650 x 420	650 x 420	650 x 420

Guarantee

TÜV certified			
Guarantee	5 years	5 years	5 years

General

Colour	Black Silver	Black Silver	Black Silver
Article number	7951040 (Black) 7951044 (Silver)	7951060 (Black) 7951064 (Silver)	7951080 (Black) 7951084 (Silver)




More info



More info



More info



FD1584

Display Floor Stand




160
1500
65
100 x 100
850 x 400



5 years

Black | Silver
7951050 (Black)
7951054 (Silver)

More info



FD1884

Display Floor Stand




160
1800
65
100 x 100
850 x 400



5 years

Black | Silver
7951070 (Black)
7951074 (Silver)

More info



FD2084

Display Floor Stand




120
2000
65
100 x 100
850 x 400



5 years

Black | Silver
7951090 (Black)
7951094 (Silver)

More info



FLOOR STAND
FIXED KITS

Specifications

Max. weight load (kg)	80	80	80
Height (mm)	1500	1800	2000
Max. screen size (inch)	65	65	65
Min. VESA hole pattern (mm)	100 x 100	100 x 100	100 x 100
Max. VESA hole pattern (mm)	420 x 450	450 x 420	450 x 420

Guarantee

TÜV certified			
Guarantee	5 years	5 years	5 years

General

Colour	Black Silver	Black Silver	Black Silver
Article number	7952010 (Black) 7952014 (Silver)	7952020 (Black) 7952024 (Silver)	7952030 (Black) 7952034 (Silver)




More info



More info



More info



TROLLEY KITS

T1544
Display Trolley



T1844
Display Trolley



T2044
Display Trolley



Specifications

Max. weight load (kg)	80	80	60
Height (mm)	1641	1941	2141
Max. screen size (inch)	65	65	65
Min. VESA hole pattern (mm)	100 x 100	100 x 100	100 x 100
Max. VESA hole pattern (mm)	450 x 420	450 x 420	420 x 450

Guarantee

TÜV certified			
Guarantee	5 years	5 years	5 years




General

Colour	Black Silver	Black Silver	Black Silver
Article number	7953010 (Black) 7953014 (Silver)	7953020 (Black) 7953024 (Silver)	7953030 (Black) 7953034 (Silver)

More info 

More info 

More info 



TROLLEY KITS

Specifications

Max. weight load (kg)	80	80	80
Height (mm)	1651	1951	2151
Min. screen size (inch)	65	65	65
Min. VESA hole pattern (mm)	100 x 100	100 x 100	100 x 100
Max. VESA hole pattern (mm)	650 x 420	650 x 420	650 x 420

Guarantee

TÜV certified			
Guarantee	5 years	5 years	5 years

General

Colour	Black Silver	Black Silver	Black Silver
Article number	7953040 (Black) 7953044 (Silver)	7953060 (Black) 7953064 (Silver)	7953080 (Black) 7953084 (Silver)




More info



More info



More info



TD1584

Display Trolley



160

1651

65

100 x 100

850 x 400



5 years

Black | Silver

7953050 (Black)

7953054 (Silver)

More info



TD1884

Display Trolley



160

1951

65

100 x 100

850 x 400



5 years

Black | Silver

7953070 (Black)

7953074 (Silver)

More info



TD2084

Display Trolley



150

2151

65

100 x 100

850 x 400






5 years

Black | Silver

7953090 (Black)

7953094 (Silver)

More info



FLOOR PLATES

PFF 7020
Floor Plate

PFF 7030
Floor Plate



Specifications

Width (mm)	772	912
Depth (mm)	578	662
Height (mm)	13	13

Guarantee

TÜV certified		
Guarantee	5 years	5 years




General

Colour	Black Silver	Black Silver
Article number	7327020 (Black) 7327024 (Silver)	7327030 (Black) 7327034 (Silver)
EAN single box	8712285323744 (Black) 8712285323768 (Silver)	8712285323782 (Black) 8712285323805 (Silver)

More info



More info



PFF 7040

Floor Plate back-to-back



820

580

13



5 years

Black

7327040

8712285323829

More info



PFF 7060

Floor Mounting Plate



351

225

5



5 years

Black | Silver

7327060 (Black)
7327064 (Silver)

8712285323867 (Black)
8712285323881 (Silver)

More info



PFF 7070

Floor Mounting Plate



550

215

5






5 years

Black

7327070

8712285355004

More info



TROLLEY FRAMES

PFT 8520

Display Trolley Frame



PFT 8530

Display Trolley Frame



Specifications

Width (mm)	978	1086
Depth (mm)	826	849
Height (mm)	140	153

Guarantee

TÜV certified		
Guarantee	5 years	5 years



General

Colour	Black Silver	Black Silver
Article number	7328520 (Black) 7328524 (Silver)	7328530 (Black) 7328534 (Silver)
EAN single box	8712285323904 (Black) 8712285323928 (Silver)	8712285323942 (Black) 8712285323966 (Silver)

More info



More info



POLES

Specifications

Length (mm)

Guarantee

TÜV certified

Guarantee

General

Colour

Article number

EAN single box

PUC 2715
Pole



1500

PUC 2718
Pole



1800

PUC 2720
Pole



2000



5 years



5 years



5 years

Black | Silver

7227150 (Black)
7227154 (Silver)

8712285323621 (Black)
8712285323645 (Silver)

Black | Silver

7227180 (Black)
7227184 (Silver)

8712285323669 (Black)
8712285323683 (Silver)

Black | Silver

7227200 (Black)
7227204 (Silver)

8712285323706 (Black)
8712285323720 (Silver)




More info



More info



More info



BACK COVERS

Specifications

Min./ Max. screen size (inch)

Guarantee

Guarantee

General

Colour

Article number

EAN single box

PFA 9115


Back Cover Landscape 42-49"

PFA 9116

Back Cover Landscape 50-55"

PFA 9120

Back Cover Portrait 42-49"



42 / 49

50 / 55

42 / 49

5 years

5 years

5 years

Black

7291150

8712285324864

Black

7291160

8712285324888

Black

7291200

8712285327469




More info



More info



More info



PFA 9121

Back Cover Portrait 50-55"

PFA 9159


Back Cover Landscape 65-70"

PFA 9160

Back Cover Portrait 65-70"

PFA 9161

Back Cover Landscape 75-80"




50 / 55

5 years

Black

7291210

8712285327483




65 / 70

5 years

Black

7291590

8712285350627




65 / 70

5 years

Black

7291600

8712285350641



75 / 80

5 years

Black

7291610

8712285350665

More info







More info



More info



More info



BACK COVERS

Specifications

Min./ Max. screen size (inch)

Guarantee

Guarantee

General

Colour

Article number

EAN single box

PFA 9162


Back Cover Portrait 75-80"

PFA 9163


Back Cover Landscape 84-86"

PFA 9164


Back Cover Portrait 84-86"



75 / 80



84 / 86



84 / 86

5 years

5 years

5 years

Black

7291620

8712285350689

Black

7291630

8712285350702

Black

7291640

8712285350726




More info



More info



More info



ACCESSORIES

PVA 5050

Camera/Speaker Mount



PVA 5070

Camera/Speaker Mount



Specifications

Max. weight load (kg)	10	10
Height (mm)	282	382
Depth (mm)	174	174
Min./ Max. screen size (inch)	40 / 55	55 / 90

Guarantee

Guarantee	5 years	5 years
-----------	---------	---------



General

Colour	Black	Black
Article number	7015050	7015070
EAN single box	8712285329128	8712285329104

More info



More info



ACCESSORIES

PFA 9112
Locking Cabinet



PFA 9113
Locking Cabinet



Specifications

Max. weight load (kg)	10	20
Width (mm)		
Height (mm)	101	150
Depth (mm)	424	423
Min. screen size (inch)		

Guarantee

Guarantee	5 years	5 years
-----------	---------	---------








General

Colour	Silver	Silver
Article number	7291124	7291134
EAN single box	8712285324024	8712285324048

More info



More info



PUA 9507

Accessory Tray PUC 24xx/25xx/27xx



10
471
362


5 years

Black | Silver

7295095 (Black)
7295094 (Silver)

8712285325045 (Black)
8712285321047 (Silver)

More info



PFA 9165

AV Accessory Holder



2
220
442
52
55


5 years

Black

7291650


8712285350863

More info



PFA 9166

Extension Set PFA 9165



2
931
440
52
55


5 years

Black

7291660

8712285350887

More info



ACCESSORIES

PFA 9114

Wheels 'Heavy duty'



PFA 9124

Grip PUC 27xx/29xx



Specifications

Max. weight load (kg)

160

Guarantee

Guarantee

5 years

5 years

General

Colour

Silver

Black

Article number

7291144

7291240

EAN single box



8712285324062

8712285330186

More info



More info



PFA 9127

Accessory Clamp PUC 24xx/25xx/27xx



10


5 years

Black

7091270

8712285331985

More info 



HEAVY DUTY
STANDS &
TROLLEYS

Specifications

Max. weight load (kg)	65	85
Max. screen size (inch)	70	90
Max. distance to floor - center display (mm)	1818	1818
Mounting system	170 x 140mm	170 x 140mm
Incl. bracket/interface	-	-

Guarantee

Guarantee	5 years	5 years
-----------	---------	---------

General

Colour	Silver	Silver
Article number	S062.1220	S062.3220

S062.1220

Display Floor Stand




S062.3220

Display Floor Stand



S062.1720
Display Trolley



60
65
1818
170 x 140mm
-

5 years

Silver
S062.1720

S062.3720
Display Trolley




85
90
1818
170 x 140mm
-

5 years

Silver
S062.3720




S062.3905
Display Trolley



85
90
1806
170 x 140mm
-

5 years

Silver
S062.3905



STAGE
STANDS &
INSTALLATION
SERIES

S062.0535-65

Display Stage Stand, 350mm

S062.0535-65W

Display Stage Trolley, 350mm

S062.0595-65

Display Stage Stand, 950mm



Specifications

Max. weight load (kg)	65	65	65
Height (mm)	503	603	1103
Max. screen size (inch)	65	65	65
Max. distance to floor - center display (mm)	433	533	1033
Tilt	Tilt +35°/+55°	Tilt +35°/+55°	Tilt +35°/+55°
Mounting system	170 x 140mm	170 x 140mm	170 x 140mm
Incl. bracket/interface	-	-	-

Guarantee

Guarantee	5 years	5 years	5 years
-----------	---------	---------	---------




General

Colour	Silver	Silver	Silver
Article number	S062.0535-65	S062.0535-65W	S062.0595-65

More info



More info



S062.0595-65W

Display Stage Trolley, 950mm



65

1203

65

1133

Tilt +35°/+55°


170 x 140mm

-

5 years

Silver

S062.0595-65W



S063.0800

Floor-Wall Column



100

1922

90

1820


170 x 140mm

-

5 years

Silver

S063.0800



S062.4425.01

Display Floor Stand



85

1913

90

1818


170 x 140mm

-

5 years

Black

S062.4425.01



HEAVY DUTY &
INSTALLATION
SERIES - WALL
MOUNTS /
INTERFACES

Specifications

Max. weight load (kg)	125	125
Min./ Max. screen size (inch)	43 / 65	65 / 86
Max. distance to the wall (mm)	32	32
Max. VESA hole pattern (mm)	446 x 400	816 x 480
Mounting system	170 x 140mm	170 x 140mm

Guarantee

Guarantee	5 years	5 years
-----------	---------	---------

General

Colour	Black	Black
Article number	S052.1000	S052.2000
EAN single box	8718868870940	8718868870995


S052.1000

Display Wall Mount




S052.2000

Display Wall Mount



More info



S052.2010

Display Wall Mount



125

65 / 98

38

812 x 600


170 x 140mm

5 years

Black

S052.2010

8718868872531



S052.6000

Display Wall Mount



160

75 / 110

38

1110 x 600


170 x 140mm

5 years

Black

S052.6000

8718868873217



HEAVY DUTY &
INSTALLATION
SERIES -
ACCESSORIES

Specifications

Max. weight load (kg)

8

15

Guarantee

Guarantee

5 years

5 years

General

Colour

Black

Grey

Black

Article number

S063.0110.01

S063.0100



S063.4400

EAN single box


8718868872487

8718868872425

8718868873996



More info 





Universal Video Wall solutions

With Vogel's Connect-it, a minimal number of linkable components can be combined to create a mounting solution for all sizes of video walls. The Connect-it interface bars and display strips are the basis for any LCD video wall mounting solution. The unique connectable poles allow video walls to ascend to great heights.

Mounting options

- Ceiling
- Floor-to-wall
- Floor-to-ceiling
- Free-standing
- Back-to back
- Fixed or mobile solution

Key features

- One versatile mounting system
- Solid and safe
- Clear and simple installation
- Easy access for maintenance
- TÜV-5 certified

FLOOR STAND KITS

Specifications

Height (mm)
Min./ Max. screen size (inch)

Guarantee

TÜV certified
Guarantee

General

Colour
Article number

FVW2255
Video Wall Floor Stand




2091
46 / 55



Black
7922550

More info



FVW3355
Video Wall Floor Stand




2790
55 / 55



Black
7933550

More info



TROLLEY KITS

TVW2255

Video Wall Trolley

TVW3355

Video Wall Trolley



Specifications

Height (mm)
Min./ Max. screen size (inch)

2178
55 / 55

2878
55 / 55

Guarantee

TÜV certified

Guarantee



5 years



5 years

General

Colour
Article number



Black
7922560

Black
7933560

More info



More info



FLOOR STAND
FIXED KITS

Specifications

Height (mm)	
Min./ Max. screen size (inch)	

Guarantee

TÜV certified	
Guarantee	

General

Colour	
Article number	

FMVW2255

Video Wall Floor Stand fixed



2017

46 / 55



5 years

Black

7922570

More info



FMVW3355

Video Wall Floor Stand fixed



2725

55 / 55





5 years

Black

7933570

More info



FLOOR - CEILING KITS

FCVW2255

Video Wall Floor-Ceiling Solution



3322

46 / 55

FCVW3355

Video Wall Floor-Ceiling Solution



3322

55 / 55

Specifications

Height (mm)

Min./ Max. screen size (inch)

Guarantee

TÜV certified

Guarantee



5 years



5 years

General

Colour

Article number

Black

7922580



Black

7933580

More info



More info





Specifications

Height (mm)	2025	2725
Min./ Max. screen size (inch)	55 / 55	55 / 55
Guarantee		
TÜV certified		
Guarantee	5 years	5 years
General		
Colour	Black	Black
Article number	7922590	7933590

More info



More info



PFF 7920

Video Wall Floor Stand

PFT 8920

Video Wall Trolley Frame

PFA 9129

Video Wall Crossbar

PFA 9130

Video Wall Crossbar

FLOOR BASES


Specifications

Max. weight load (kg)	202.5	202.5		
Length (mm)	1000	1000	1150	1500
Width (mm)	100	100	172	172
Height (mm)	84	171	60	60

Guarantee

TÜV certified				
Guarantee	5 years	5 years	5 years	5 years

General

Colour	Black	Black	Black	Black
Article number	7279200	7289200	7291290	7291300
EAN single box	8712285336669	8712285336645	8712285336683	8712285336706

More info







More info



More info



More info



Specifications

Max. weight load (kg)

Width (mm)	236	184
Height (mm)	234	120
Exceptions Remarks	Combine with PFF 7965	

TÜV certified

Guarantee	5 years	5 years
-----------	---------	---------







Colour

Article number	7279650	7291320
EAN single box	8712285343186	8712285336829

More info



More info



POLES

Specifications

Length (mm)

Guarantee

TÜV certified

Guarantee

General

Colour

Article number

EAN single box

PUC 2920
Pole



2000


5 years

Black

7229200

8712285335761

More info



PUC 2927
Pole



2700


5 years

Black

7229270

8712285336720

More info



PUC 2933
Pole



3300


5 years

Black

7229330

8712285336744


More info



DISPLAY INTERFACE BARS

	PFB 3402 Display Interface Bar	PFB 3405 Display Interface Bar	PFB 3407 Display Interface Bar	PFB 3409 Display Interface Bar
				
				
Specifications				
Width (mm)	290	515	715	915
Min. horizontal hole pattern (mm)	100	100	100	100
Max. horizontal hole pattern (mm)	225	450	650	850
Guarantee				
TÜV certified				
Guarantee	5 years	5 years	5 years	5 years
General				
Colour	Black Silver	Black Silver	Black Silver	Black Silver
Article number	7234020 (Black) 7234024 (Silver)	7234050 (Black) 7234054 (Silver)	7234070 (Black) 7234074 (Silver)	7234090 (Black) 7234094 (Silver)
EAN single box	8712285329401 (Black) 8712285323027 (Silver)	8712285329425 (Black) 8712285318764 (Silver)	8712285329449 (Black) 8712285318788 (Silver)	8712285329463 (Black) 8712285318801 (Silver)

[More info](#)  [More info](#)  [More info](#)  [More info](#) 







PFB 3411	PFB 3419	PFB 3427	PFB 3433
Display Interface Bar	Display Interface Bar	Display Interface Bar	Display Interface Bar
			
			
1175	1915	2750	3300
100	100	100	100
1110	1850	2700	3250
			
5 years	5 years	5 years	5 years
Black Silver	Black Silver	Black Silver	Black Silver
7234110 (Black) 7234114 (Silver)	7234190 (Black) 7234194 (Silver)	7234270 (Black) 7234274 (Silver)	7234330 (Black) 7234334 (Silver)
8712285329487 (Black) 8712285318825 (Silver)	8712285328749 (Black) 8712285330209 (Silver)	8712285328763 (Black) 8712285330223 (Silver)	8712285328787 (Black) 8712285330247 (Silver)

More info 

More info 

More info 

More info 



DISPLAY
INTERFACE STRIPS
3D ADJUSTABLE

PFS 3504

Display Interface Strips



PFS 3508

Display Interface Strips



Specifications

Max. weight load (kg)	80	80
Min. vertical hole pattern (mm)	100	200
Max. vertical hole pattern (mm)	400	800
Max. height of interface (mm)	482	857
Tilt	Tilt -3°/+7°	Tilt -3°/+7°
Service position	•	•

Guarantee

TÜV certified		
Guarantee	5 years	5 years



General

Colour	Black	Black
Article number	7235040	7235080
EAN single box	8712285328800	8712285328824

More info



More info



LED INTERFACE

Specifications

Length (mm)

Guarantee

TÜV certified

Guarantee

General

Colour

Article number

EAN single box

PLM 8030

Profile 3000 mm



3000



5 years

Black

7380300

8712285339363

More info



PLS 8001

Mounting strips PLM 8030





5 years

Black

7380010

8712285339387

More info



ACCESSORIES

PFA 9141

Wall Support Base Set long



PFA 9142

Wall Support Extender Set 2 arms



Specifications

Length (mm)

620

Adjustable depth

•

620

Guarantee

TÜV certified



Guarantee

5 years



5 years

General

Colour

Black

Article number

7291410

EAN single box

8712285342967

Black





7291420

8712285343223

More info



More info



PFA 9143

Wall Support Extender Set 3 arms



620

PFA 9144

Wall Support Base Set short



260



5 years



5 years

Black

7291430

8712285343247

Black



7291440


8712285343261

More info



More info





PFA 9128

Cable Clip PFB 34xx




5 years

Black

7291280

8712285338106

More info 





dvLED Connect-it

Universal dvLED Mounting Solution for seamless installation

Vogel's has developed a universal system for mounting dvLED panels, ensuring a quick, easy, and seamless installation on walls, floors, or ceilings.

Compatible with nearly all dvLED panel brands

Our solution supports video wall configurations for nearly all dvLED brands and cabinet series.

Available configurations include:

- 4x3
- 4x4
- 5x5
- 6x6
- 6x4
- 8x8, and more.

Key features

- Compatible with nearly all dvLED panel brands
- Suitable for wall, floor, and ceiling mounting
- Quick and easy installation
- Precise x, y and z-axis adjustment for seamless alignment
- Ultra-slim design - only 40.5 mm deep (excluding panels)
- TÜV-5 certified for superior quality and safety
- Vogel's Video Wall Engineering Service: expert guidance, configuration advice, quotations and technical drawings provided promptly

Visit our website for specific [dvLED panel configurations by brand](#), or contact our Video Wall Experts.

dvLED Connect-it: universal dvLED panel mounting system

PLB 31xx

Interface Bar;
available in lengths
110/200/270/330 cm

PLA 9302

Universal dvLED Wall
Mount for PLB 31xx;
x,y, z adjustable (3D)

PLA 9304

Bar Coupler
for two PLB 31xx
Interface Bars

PLA 9303

Extension for PLB 31xx
Bar; adjust to desired
width for perfect fit



PLA 9301

Bracket Kit for mounting
PLB 31xx to PUC 29 Poles



PLA 9307

Adjusting Feet for levelling
top/bottom row of dvLED wall
(wall mounted)

PLA 9305

dvLED Mounting bolts
M6/M8/M10 to mount
dvLED panels in
PLB 31xx Bar




PLA 9306

Universal PLB 31xx positioning
spacer; mount the next bar
without measuring



PLA 9308

Extended Mounting
bolts M6/M8/M10



DVLED
INTERFACE BARS

Specifications

Length (mm)

1100

2000

Guarantee

TÜV certified

Guarantee



5 years



5 years

General

Colour

Black

Black

Article number

7231110

7231200

EAN single box



8712285406942

8712285406966

More info



More info



PLB 3127

dvLED Interface Bar 2700 mm



2700




5 years

Black

7231270

8712285407642

More info



PLB 3133

dvLED Interface Bar 3300 mm



3300




5 years

Black

7231330

8712285406980

More info



DVLED
MOUNTS

Specifications

Length (mm)

Guarantee

TÜV certified

Guarantee

General

Colour

Article number

EAN single box

PLA 9301

Bracketkit PLB 31xx



PLA 9302

3D Adjustable Wall Mount
PLB 31xx



PLA 9303

Extender PLB 31xx



PLA 9304

Bar Coupler PLB 31xx



250



5 years



5 years



5 years



5 years

Black

Black

Black

Black

7193010

7193020

7193030

7193040

8712285409509

8712285407000

8712285406867

8712285406881

More info





More info



More info



More info



PLA 9305

Mounting Bolts dvLED M6, M8, M10




5 years

Silver

7193050

8712285406904

More info



PLA 9306

Spacer dvLED Interface Bar




5 years

Black

7193060

8712285406928

More info



PLA 9307

Adjusting Feet dvLED (4x)




5 years

Black

7193070

8712285407628

More info



PLA 9308

Extended mounting Bolts dvLED M6, M8, M10



5 years

Silver

7293080

8712285411045

More info





Barco UniSee® and TruePix solutions

A solution for any Barco UniSee® and TruePix configuration

Vogel's is preferred supplier for mounting Barco UniSee (LCD) and Barco TruePix (LED) video walls in curved setups. In close cooperation with Barco, Vogel's developed dedicated mounting solutions for both Barco UniSee and TruePix, that present the video walls in its best light in any configuration.

For Barco TruePix flat wall mounting, there are also special wall mounting plates available. The depth of our wall solution (including cabinet) is only 4 inch which makes our solution ADA compliant.

Combine the dedicated UniSee adapters or TruePix interface kits with the Vogel's Connect-it system and you will be able to create any type

of Barco video wall configuration: ceiling, floor, floor-wall, floor-ceiling, back-to-back, freestanding, fixed, or mobile. Curved solutions can be mounted directly on the floor.

Key features

- Modular and universal system
- Lightweight aluminium profiles
- Integrated cable management
- Dedicated UniSee/TruePix mounting adapters
- Dedicated TruePix interface kits
- Quick, easy and seamless installation
- TÜV-5 certified
- ADA compliant

VIDEO WALL
POP-OUT
MOUNT - KITS
& MODULE

PPM6704

Video Wall Pop-out Mount



PPM6708

Video Wall Pop-out Mount



PFW 6706

Video Wall Pop-out Module



Specifications

Max. weight load (kg)	45	45	45
Min. / Max. screen size (inch)	40 / 65	40 / 65	37 / 65
Orientation	Landscape / Portrait	Portrait	Landscape / Portrait
Min. VESA hole pattern (mm)	200 x 200	200 x 200	200 x 200
Max. VESA hole pattern (mm)	600 x 400	600 x 800	600 x 800

Guarantee

TÜV certified			
Guarantee	5 years	5 years	5 years

General

Colour	Black	Black	Black
Article number	7950300	7950310	7267060




More info



More info



More info



VIDEO WALL
POP-OUT MOUNTS

PFW 6870

Video Wall Pop-out Mount



PFW 6875

Video Wall Pop-out Mount



Specifications

Max. weight load (kg)	72	72
Min./ Max. screen size (inch)	37 / 65	37 / 65
Min. distance to the wall (mm)	127	127
Min. VESA hole pattern (mm)	200 x 200	200 x 200
Max. VESA hole pattern (mm)	600 x 400	400 x 600

Guarantee

TÜV certified		
Guarantee	5 years	5 years






General

Colour	Black	Black
Article number	7368700	7368750
EAN single box	8712285323461	8712285324840

More info



More info



PFW 6880

Video Wall Pop-out Mount



45

37 / 65

51

200 x 200

600 x 400




5 years

Black

7368800

8712285329227

More info



PFW 6885

Video Wall Pop-out Mount



45

37 / 65

51

200 x 200

400 x 600




5 years

Black

7368850

8712285334023

More info





PFW Series Wall Mounts + XXL Mounts

PFW Series Wall Mounts

- Stylish high-end design
- Theft-delaying padlock
- TÜV certified
- For all environments such as hospitality, corporate and public spaces

1000 Series

- VESA 50x50, 75x75, 100x100 mm
- Continuous smooth tilt

2000 Series

- VESA 75x75, 100x100, 200x200 mm
- Post-installation levelling
- Continuous smooth tilt

3000 Series

- VESA 100x100, 200x200, 300x300, 400x400 mm
- Post-installation levelling
- Continuous smooth tilt
- Cable management

4000 Series

- VESA max. 600x400 mm
- Tilt in steps 0°, 7°, 12° and 15°
- Fixed tilt position
- Autolock®/ locking bar and padlock

6000 Series

- VESA max. 1200x800 mm
- Easy levelling and installation
- Horizontal levelling (post-installation)
- Self-centering display bolts
- Easy accessible integrated lock
- Locked service position
- Tilt function up to 15°

XXL & XXL SmartMetals Series

- VESA max. 1110x600 mm
- Max. weight 227 kg
- Robust and high quality
- Flat, turn, tilt and/or rotate function

1000 SERIES

PFW 1020
Display Wall Mount



PFW 1030
Display Wall Mount



PFW 1040
Display Wall Mount



Specifications

Max. weight load (kg)	16	16	16
Min./ Max. screen size (inch)	10 / 28	10 / 28	10 / 28
Number of pivot points	1	2	3
Turn	Up to 60°	Up to 120°	Up to 180°
Tilt	Tilt -10°/+10°	Tilt -10°/+10°	Tilt -10°/+10°
Lock options	Lock included / integrated	Lock included / integrated	Lock included / integrated
Min. distance to the wall (mm)	100	77	77
Max. distance to the wall (mm)	100	247	417
Hole pattern (VESA)	50 mm x 50 mm 75 mm x 75 mm 100 mm x 100 mm	50 mm x 50 mm 75 mm x 75 mm 100 mm x 100 mm	50 mm x 50 mm 75 mm x 75 mm 100 mm x 100 mm

Guarantee




TÜV certified			
Guarantee	5 years	5 years	5 years

General

Colour	Black	Black	Black
Article number	7310200	7310300	7310400
EAN single box	8712285370281	8712285342424	8712285342448

[More info](#)

[More info](#)

[More info](#)


2000 SERIES

PFW 2020
Display Wall Mount

PFW 2030
Display Wall Mount

PFW 2040
Display Wall Mount



Specifications

Max. weight load (kg)	16	16	16
Min./ Max. screen size (inch)	19 / 43	19 / 43	19 / 43
Number of pivot points	1	2	3
Turn	Up to 60°	Up to 120°	Up to 180°
Tilt	Tilt -10°/+10°	Tilt -10°/+10°	Tilt -10°/+10°
Lockable	•	•	•
Min. distance to the wall (mm)	77	77	77
Max. distance to the wall (mm)	77	247	417
Hole pattern (VESA)	75 mm x 75 mm 100 mm x 100 mm 200 mm x 100 mm 200 mm x 200 mm	75 mm x 75 mm 100 mm x 100 mm 200 mm x 100 mm 200 mm x 200 mm	75 mm x 75 mm 100 mm x 100 mm 200 mm x 100 mm 200 mm x 200 mm

Guarantee

TÜV certified			
Guarantee	5 years	5 years	5 years

General

Colour	Black	Black	Black
Article number	7320200	7320300	7320400
EAN single box	8712285335105	8712285335129	8712285335143




More info



More info



More info



3000 SERIES

PFW 3030

Display Wall Mount



PFW 3040

Display Wall Mount



Specifications



Max. weight load (kg)	35	35
Min./ Max. screen size (inch)	39 / 55	39 / 55
Number of pivot points	2	3
Turn	Up to 120°	Up to 180°
Tilt	Tilt -15°/+10°	Tilt -15°/+10°
Lockable	•	•
Min. distance to the wall (mm)	107	116
Max. distance to the wall (mm)	309	511
Hole pattern (VESA)	100 mm x 100 mm 100 mm x 200 mm 200 mm x 100 mm 200 mm x 200 mm 300 mm x 200 mm 300 mm x 300 mm 400 mm x 200 mm 400 mm x 300 mm 400 mm x 400 mm	100 mm x 100 mm 100 mm x 200 mm 200 mm x 100 mm 200 mm x 200 mm 300 mm x 200 mm 300 mm x 300 mm 400 mm x 200 mm 400 mm x 300 mm 400 mm x 400 mm

Guarantee

TÜV certified		
Guarantee	5 years	5 years

General

Colour	Black	Black
Article number	7330300	7330400
EAN single box	8712285335167	8712285335181

[More info](#)

[More info](#)


4000 SERIES

PFW 4200
Display Wall Mount

PFW 4500
Display Wall Mount

PFW 4700
Display Wall Mount



Specifications

Max. weight load (kg)	30	50	75
Min./ Max. screen size (inch)	10 / 43	42 / 55	55 / 80
Tilt			
Lockable	•	•	•
Min. distance to the wall (mm)	27	27	27
Hole pattern (VESA)	50 mm x 50 mm 75 mm x 75 mm 100 mm x 100 mm 100 mm x 200 mm 200 mm x 100 mm 200 mm x 200 mm	100 mm x 100 mm 100 mm x 200 mm 200 mm x 100 mm 200 mm x 200 mm 300 mm x 200 mm 300 mm x 300 mm 400 mm x 200 mm 400 mm x 300 mm 400 mm x 400 mm	100 mm x 100 mm 100 mm x 200 mm 200 mm x 100 mm 200 mm x 200 mm 300 mm x 200 mm 300 mm x 300 mm 400 mm x 200 mm 400 mm x 300 mm 400 mm x 400 mm 500 mm x 200 mm 500 mm x 300 mm 500 mm x 400 mm 600 mm x 200 mm 600 mm x 300 mm 600 mm x 400 mm

Guarantee

TÜV certified			
Guarantee	5 years	5 years	5 years

General

Colour	Black	Black	Black
Article number	7042000	7045000	7047000
EAN single box	8712285330988	8712285338601	8712285338649




More info



More info



More info



6000 SERIES

PFW 6400
Display Wall Mount



PFW 6410
Display Wall Mount



PFW 6800
Display Wall Mount



Specifications

Max. weight load (kg)	100	75	100
Min./ Max. screen size (inch)	46 / 65	46 / 65	55 / 80
Tilt		Tilt up to 15°	
Levelling function	Post-installation horizontal levelling	Post-installation horizontal levelling	Post-installation horizontal levelling
Lock options	Lock included / integrated	Lock included / integrated	Lock included / integrated
Min. distance to the wall (mm)	35	52	35
Exceptions Remarks			

Hole pattern (VESA)

75 mm x 75 mm
200 mm x 100 mm
200 mm x 200 mm
300 mm x 200 mm
300 mm x 300 mm
400 mm x 200 mm
400 mm x 300 mm
400 mm x 400 mm

75 mm x 75 mm
100 mm x 100 mm
100 mm x 200 mm
200 mm x 100 mm
200 mm x 200 mm
300 mm x 200 mm
300 mm x 300 mm
400 mm x 200 mm
400 mm x 300 mm
400 mm x 400 mm

75 mm x 75 mm
100 mm x 100 mm
100 mm x 200 mm
200 mm x 100 mm
200 mm x 200 mm
300 mm x 200 mm
300 mm x 300 mm
400 mm x 200 mm
400 mm x 300 mm
400 mm x 400 mm
500 mm x 200 mm
500 mm x 300 mm
500 mm x 400 mm
600 mm x 200 mm
600 mm x 300 mm
600 mm x 400 mm
700 mm x 400 mm
800 mm x 400 mm

Guarantee

TÜV certified

Guarantee



5 years



5 years



5 years

General

Colour	Black	Black	Black
Article number	7364000	7364100	7368000
EAN single box	8712285334122	8712285334146	8712285334160




More info



More info



More info



PFW 6810

Display Wall Mount



75

55 / 80

Tilt up to 15°

Post-installation horizontal levelling

Lock included / integrated

52

75 mm x 75 mm
100 mm x 100 mm
100 mm x 200 mm
200 mm x 100 mm
200 mm x 200 mm
300 mm x 200 mm
300 mm x 300 mm
400 mm x 200 mm
400 mm x 300 mm
400 mm x 400 mm
500 mm x 200 mm
500 mm x 300 mm
500 mm x 400 mm
600 mm x 200 mm
600 mm x 300 mm
600 mm x 400 mm
700 mm x 400 mm
800 mm x 400 mm

PFW 6815

Display Wall Mount



100

43 / 100

Post-installation horizontal levelling

Lock included / integrated

75 mm x 75 mm
100 mm x 100 mm
100 mm x 200 mm
200 mm x 100 mm
200 mm x 200 mm
300 mm x 200 mm
300 mm x 300 mm
400 mm x 200 mm
400 mm x 300 mm
400 mm x 400 mm
400 mm x 500 mm
400 mm x 600 mm
400 mm x 700 mm
400 mm x 800 mm

PFW 6900

Display Wall Mount



160

80 / 120

Post-installation horizontal levelling

No lock

42

400 mm x 400 mm
600 mm x 400 mm
600 mm x 600 mm
800 mm x 400 mm
800 mm x 600 mm
850 mm x 400 mm
1000 mm x 600 mm
1200 mm x 800 mm

PFW 6910

Display Wall Mount



230

80 / 120

Tilt up to 15°

Post-installation horizontal levelling

Lock included / integrated

62

Max weight load: flat 230 kg, tilt 185 kg

400 mm x 400 mm
500 mm x 400 mm
600 mm x 200 mm
600 mm x 300 mm
600 mm x 400 mm
600 mm x 600 mm
700 mm x 400 mm
700 mm x 450 mm
800 mm x 400 mm
800 mm x 450 mm
800 mm x 500 mm
800 mm x 600 mm
850 mm x 400 mm
950 mm x 550 mm
1000 mm x 600 mm
1200 mm x 800 mm



5 years



5 years



5 years



5 years

Black

7368100

8712285334184

Black

7368150

8712285334207

Black

7369000

8712285352645

Black

7369100

8712285336126

More info







More info



More info



More info



Display Wall Mount



Display Wall Mount



Display Wall Mount



Max. weight load (kg)	30	80	136
Min./ Max. screen size (inch)	42 / 65	42 / 85	40 / 98
Turn	Up to 180°	Up to 90°	Up to 180°
Tilt	Tilt up to 15°	Tilt up to 10°	Tilt -10°/+10°
Rotate			
Min. distance to the wall (mm)	38	79	101
Max. distance to the wall (mm)	749	404	658
Max. VESA hole pattern (mm)	630 x 526	800 x 600	985 x 665
Exceptions Remarks			

TÜV certified			
Guarantee	5 years	5 years	5 years

Colour	Black	Black	Black
Article number	7368500	7368510	7368520
EAN single box	8712285323362	8712285323386	8712285323409




More info



More info



More info



PFW 6855

Display Wall Mount



227

65 / 120

Up to 90°

Tilt -4° / +4°

Left 90° / Right 90°

216

623

907 x 600



5 years

Black

7368550

8712285323201

More info



PFW 6858

Display Wall Mount



72

42 / 65

Left 90° / Right 90°

95

870 x 505

Compatible with FD/TD kits



5 years

Black

7368580

8712285342165

More info



PFA 9158

Adapter for Samsung Flip 2 65"



72




- / 65

Black

7291580

8712285348266

More info



XXL WALL
MOUNTS

S052.1000

Display Wall Mount

S052.2000

Display Wall Mount



Specifications



Max. weight load (kg)	125	125
Min./ Max. screen size (inch)	43 / 65	65 / 86
Max. distance to the wall (mm)	32	32
Max. VESA hole pattern (mm)	446 x 400	816 x 480
Mounting system	170 x 140mm	170 x 140mm

Guarantee

Guarantee	5 years	5 years
-----------	---------	---------

General

Colour	Black	Black
Article number	S052.1000	S052.2000
EAN single box	8718868870940	8718868870995



S052.2010

Display Wall Mount



125

65 / 98

38

812 x 600


170 x 140mm

5 years

Black

S052.2010

8718868872531



S052.2020

Display Wall Mount



75

65 / 86

30

924 x 605


170 x 140mm

5 years

Black


S052.2020

8718868871503



S052.6000

Display Wall Mount



160

75 / 110

38

1110 x 600


170 x 140mm

5 years

Black

S052.6000

8718868873217





RISE Motorized Display Lifts

RISE provides you with a series of stylish, safe and user-friendly electrically operated lifts to raise/lower interactive screens and large displays of up to 98" and max. 140 kg to any desired height.

RISE Motorized Display Lifts are available in different versions:

- Floor-wall solution
- Trolley
- Floor stand

Key features

- 980 mm height adjustment range for all users
- QuickRise™: 80 or 50 mm/s speed for displays of up to 140 kg (floor-wall solution) and 120 kg (trolley / floor stand)
- Top-down assembly ensures quick installation
- Anti Collision safety mechanism
- Specially designed base for extra safety
- TÜV, GS and CE certified
- Complete with handy accessories
- Sustainable design and recyclable packaging

Check vogels.com for more information.

RISE 4105

Motorized Display Lift Floor Stand

DISPLAY LIFT -
FLOOR STAND



Specifications


Max. weight load (kg)	120
Liftspeed	50 mm/sec
Min./ Max. screen size (inch)	43 / 98
Min./ Max. distance to floor - center display (mm)	822 / 1522
Motorized	•
Height adjustment (mm)	700
Min. VESA hole pattern (mm)	300 x 300
Max. VESA hole pattern (mm)	800 x 600

Guarantee

TÜV certified	
Guarantee	5 years

General

Colour	Black
Article number	7341050
EAN single box	8712285413667



DISPLAY LIFT - TROLLEYS

RISE 5205

Motorized Display Lift Trolley



RISE 5208

Motorized Display Lift Trolley



Specifications

Max. weight load (kg)	120	120
Liftspeed	50 mm/sec	80 mm/sec
Min./ Max. screen size (inch)	43 / 98	43 / 98
Wheel type	Single wheel	Single wheel
Min./ Max. distance to floor - center display (mm)	894 / 1874	894 / 1874
Motorized	•	•
Height adjustment (mm)	980	980
Min. VESA hole pattern (mm)	300 x 300	300 x 300
Max. VESA hole pattern (mm)	800 x 600	800 x 600

Guarantee

TÜV certified		
Guarantee	5 years	5 years



General

Colour	Black Silver	Black Silver
Article number	7352050 (European Union) 7352052 (USA & Canada) 7352053 (USA & Canada) 7352054 (United Kingdom) 7352055 (United Kingdom)	7352080 (European Union) 7352081 (European Union) 7352082 (USA & Canada) 7352083 (USA & Canada) 7352084 (United Kingdom) 7352085 (United Kingdom)
EAN single box	8712285357787 (European Union) 8712285357824 (USA & Canada) 8712285357848 (USA & Canada) 8712285357862 (United Kingdom) 8712285357886 (United Kingdom)	8712285357909 (European Union) 8712285357923 (European Union) 8712285357947 (USA & Canada) 8712285357961 (USA & Canada) 8712285357985 (United Kingdom) 8712285358005 (United Kingdom)

More info



More info



RISE 5305

Motorized Display Lift Trolley



120

50 mm/sec

55 / 98

Double wheel

893 / 1873

•

980

200 x 200

800 x 600



5 years

Black | Silver

7353050 (European Union)
7353051 (European Union)
7353052 (USA & Canada)
7353053 (USA & Canada)
7353054 (United Kingdom)
7353055 (United Kingdom)

8712285358029 (European Union)
8712285358043 (European Union)
8712285358067 (USA & Canada)
8712285358081 (USA & Canada)
8712285358104 (United Kingdom)
8712285358128 (United Kingdom)

More info



RISE 5308

Motorized Display Lift Trolley



120

80 mm/sec

43 / 98

Double wheel

893 / 1873

•

980

300 x 300

800 x 600





5 years

Black | Silver

7353080 (European Union)
7353081 (European Union)
7353082 (USA & Canada)
7353083 (USA & Canada)
7353084 (United Kingdom)
7353085 (United Kingdom)

8712285358142 (European Union)
8712285358166 (European Union)
8712285358180 (USA & Canada)
8712285358203 (USA & Canada)
8712285358227 (United Kingdom)
8712285358241 (United Kingdom)

More info



DISPLAY LIFT - TROLLEYS

RISE 4205

Motorized Display Lift Trolley



RISE 4208

Motorized Display Lift Trolley



RISE 3205

Motorized Display Lift Trolley



Specifications

Max. weight load (kg)	120	120	100
Liftspeed	50 mm/sec	80 mm/sec	50 mm/sec
Min./ Max. screen size (inch)	43 / 86	43 / 86	43 / 86
Wheel type	Single wheel	Single wheel	Single wheel
Min./ Max. distance to floor - center display (mm)	873 / 1573	873 / 1573	903 / 1604
Motorized	•	•	•
Height adjustment (mm)	700	700	700
Min. VESA hole pattern (mm)	100 x 100	100 x 100	300 x 300
Max. VESA hole pattern (mm)	900 x 600	900 x 600	800 x 600

Guarantee

TÜV certified			
Guarantee	5 years	5 years	5 years

General

Colour	Black	Black	Black
Article number	7342052 (USA & Canada) 7342054 (United Kingdom) 7342050 (European Union)	7342080 (European Union) 7342082 (USA & Canada) 7342084 (United Kingdom)	7332050 (European Union) 7332052 (USA & Canada) 7332054 (United Kingdom)
EAN single box	8712285408823 (USA & Canada) 8712285408861 (United Kingdom) 8712285408786 (European Union)	8712285408809 (European Union) 8712285408847 (USA & Canada) 8712285408885 (United Kingdom)	8712285357428 (European Union) 8712285357442 (USA & Canada) 8712285357466 (United Kingdom)




More info



More info



More info



DISPLAY LIFT FLOOR - WALL

RISE 2005

Motorized Display Floor-Wall Lift



RISE 2008

Motorized Display Floor-Wall Lift



Specifications

Max. weight load (kg)	140	140
Liftspeed	50 mm/sec	80 mm/sec
Min./ Max. screen size (inch)	43 / 98	43 / 98
Min./ Max. distance to floor - center display (mm)	806 / 1786	806 / 1786
Motorized	•	•
Height adjustment (mm)	980	980
Min./ Max. depth from front of interface (mm)	143 / 203	143 / 203
Min. VESA hole pattern (mm)	300 x 300	300 x 300
Max. VESA hole pattern (mm)	800 x 600	800 x 600

Guarantee

TÜV certified		
Guarantee	5 years	5 years





General

Colour	Black White	Black White
Article number	7320050 (European Union) 7320051 (European Union) 7320052 (USA & Canada) 7320053 (USA & Canada) 7320054 (United Kingdom) 7320055 (United Kingdom)	7320080 (European Union) 7320081 (European Union) 7320082 (USA & Canada) 7320083 (USA & Canada) 7320084 (United Kingdom) 7320085 (United Kingdom)
EAN single box	8712285357183 (European Union) 8712285357206 (European Union) 8712285357220 (USA & Canada) 8712285357244 (USA & Canada) 8712285357268 (United Kingdom) 8712285357282 (United Kingdom)	8712285357305 (European Union) 8712285357329 (European Union) 8712285357343 (USA & Canada) 8712285357367 (USA & Canada) 8712285357381 (United Kingdom) 8712285357404 (United Kingdom)

More info



More info



WHITEBOARD SETS - RISE 2000/4000

RISE WBS65

Whiteboard set for 65" displays

RISE WBS75

Whiteboard set for 75" displays

RISE WBS86

Whiteboard set for 86" displays



Specifications

Screen size (inch)	65 / 65	75 / 75	86 / 86
Width (mm)	3183	3644	4147
Height (mm)	892	1020	1157
Adjustable depth	•	•	•

Guarantee

Guarantee	5 years	5 years	5 years
-----------	---------	---------	---------

General

Colour	White	White	White
Article number	7300650	7300750	7300860
EAN single box	8712285410505	8712285410529	8712285410543




More info



More info



More info



WHITEBOARD SETS - RISE 5000

RISE WBS65M

Whiteboard set 65" for RISE 5XXX

RISE WBS75M

Whiteboard set 75" for RISE 5XXX

RISE WBS86M

Whiteboard set 86" for RISE 5XXX



Specifications

Screen size (inch)	65 / 65	75 / 75	86 / 86
Width (mm)	3183	3644	4147
Height (mm)	892	1020	1157
Adjustable depth	•	•	•

Guarantee

Guarantee	5 years	5 years	5 years
-----------	---------	---------	---------

General

Colour	White	White	White
Article number	7301650	7301750	7301860
EAN single box	8712285410567	8712285410581	8712285410604




More info




More info



More info





ACCESSORIES

	RISE A111 Accessory Interface Rail	RISE A112 Stud Wall Adapter RISE 200x	RISE A121 Soundbar Bracket
			
			
Specifications			
Max. weight load (kg)	15		6
Width (mm)	858		50
Height (mm)	536		100
Length (mm)		900	
Depth (mm)	35		79
Height adjustable (mm)	•	-	•
Adjustable depth	•	•	•
Max. width of interface (mm)	800		
Exceptions Remarks			Combine with RISE A111
Guarantee			
TÜV certified			
Guarantee	5 years	5 years	5 years
General			
Colour	Black	White	Black
Article number	7301110	7301120	7301210
EAN single box	8712285356766	8712285406485	8712285356780

More info 

More info 

More info 



RISE A122

Mounting Bracket Small Peripherals



1.5

RISE A131

Laptop Tray



5

RISE A141


Videoconferencing Camera Tray



4

RISE A142

Mounting Bracket Peripheral



1.5

Combine with RISE A111

Combine with RISE A111



5 years



5 years



5 years

Black

7301220

8712285407307

Black

7301310

8712285356803

Black

7301410

8712285356827

Black

7301420

8712285406744

More info







More info



More info



More info



ACCESSORIES

Specifications

Max. weight load (kg)			
Width (mm)			
Height (mm)			
Length (mm)			
Height adjustable (mm)		-	
Adjustable depth		•	•
Max. width of interface (mm)			

Guarantee

TÜV certified			
Guarantee	5 years	5 years	5 years




General

Colour	Black	Black White	Black White
Article number	7301520	7301610 (Black) 7301614 (White)	7301620 (Black) 7301624 (White)
EAN single box	8712285407321	8712285406522 (Black) 8712285406546 (White)	8712285406560 (Black) 8712285406584 (White)

More info 

More info 

More info 



RISE A163

Flexible (Stud) Wall Mounts



RISE A164

Stud Wall Adapter for RISE 2xxx



RISE A172

Extended PFB bar



RISE A173

Extended Interface Strips



		120	
	900	31	
		137	
		1117	800
		1100	



5 years



5 years



5 years



5 years

Black | White

7301630 (Black)
7301631 (White)

8712285407345 (Black)
8712285407369 (White)

Silver

7301644

8712285407383

Silver

7301720

8712285406669

Black

7301730





8712285406683

More info 

More info 

More info 

More info 



ACCESSORIES

	RISE A174 Extended Accessory Interface Plate	RISE A311 Hidden Storage Unit	RISE A321 Extender Hidden Storage Unit
			
			
Specifications			
Max. weight load (kg)	15	10	14
Width (mm)		356	
Height (mm)		403	127
Length (mm)			257
Depth (mm)		120	72
Height adjustable (mm)			
Adjustable depth			
Max. width of interface (mm)	1000		
Exceptions Remarks			Combine with RISE A311
Guarantee			
TÜV certified			
Guarantee	5 years	5 years	5 years
General			
Colour	Black	Black	Black
Article number	7301740	7303110	7303210
EAN single box	8712285406706	8712285356902	8712285356926




More info



More info



More info



MOTORIZED DVLED/LCD TROLLEY + HEIGHT & TILT ADJUSTABLE LIFT

PFTE 7120
Motorized Trolley dvLED and LCD

PLA 8902
Bracket Kit for PFTE 7120

S062.7665
Height and Tilt Adjustable Display
Lift



Specifications

Max. weight load (kg)	225		95
Min./ Max. screen size (inch)	98 / -	- / -	32 / 75
Min. distance to floor - center display (mm)	1075		591
Max. distance to floor - center display (mm)	1575		1251
Motorized	•		•
Height adjustment (mm)	500		660
Hole pattern (VESA)			300 mm x 200 mm 400 mm x 200 mm 400 mm x 400 mm 600 mm x 200 mm 600 mm x 400 mm

Guarantee

TÜV certified			
Guarantee	5 years	5 years	5 years



General

Colour	Black	Black	Black
Article number	7371200	7189024	S062.7665
EAN single box	8712285351266	8712285351969	8718868874351

More info 

More info 

More info 



FLOOR LIFTS XL - SINGLE COLUMN

S052.7200

Motorized Display Lift floor-wall Solution

S062.7275

Motorized Display Lift Trolley

S062.7295

Motorized Display Lift Trolley



Specifications

Max. weight load (kg)	135	120	120
Min. / Max. screen size (inch)	55 / 86	55 / 86	55 / 86
Motorized	•	•	•
Liftspeed	20 mm/sec	20 mm/sec	20 mm/sec
Height adjustment (mm)	600	500	600
Min. distance to floor - center display (mm)	1145	1030	1295
Max. distance to floor - center display (mm)	1745	1530	1890
Hole pattern (VESA)	200 mm x 200 mm 200 mm x 300 mm 300 mm x 200 mm 300 mm x 300 mm 400 mm x 200 mm 400 mm x 300 mm 400 mm x 400 mm 500 mm x 200 mm 500 mm x 300 mm 500 mm x 400 mm 600 mm x 200 mm 600 mm x 300 mm 600 mm x 400 mm 800 mm x 400 mm 800 mm x 600 mm	200 mm x 200 mm 200 mm x 300 mm 300 mm x 200 mm 300 mm x 300 mm 400 mm x 200 mm 400 mm x 300 mm 400 mm x 400 mm 500 mm x 200 mm 500 mm x 300 mm 500 mm x 400 mm 600 mm x 200 mm 600 mm x 300 mm 600 mm x 400 mm	200 mm x 200 mm 200 mm x 300 mm 300 mm x 200 mm 300 mm x 300 mm 400 mm x 200 mm 400 mm x 300 mm 400 mm x 400 mm 500 mm x 200 mm 500 mm x 300 mm 500 mm x 400 mm 600 mm x 200 mm 600 mm x 300 mm 600 mm x 400 mm

Guarantee

Guarantee	5 years	5 years	5 years
-----------	---------	---------	---------

General

Colour	Silver	Black	Black
Article number	S052.7200	S062.7275	S062.7295
EAN single box	8718868870322	8718868870476	8718868870490




More info



More info



More info



WHITEBOARDS

S152.0115

Mounting Kit excl. Whiteboards

S152.0115-ES

Mounting Kit Whiteboards, 55-75"



Specifications

Max. screen size (inch)

75

75

Max. weight load (kg)

25

25

Guarantee

Guarantee

5 years

5 years

General

Colour

Black

White

Article number



S152.0115

S152.0115-ES

EAN single box

8718868873323

8712285398704



WHITEBOARDS

S152.0120

Mounting Kit excl. Whiteboards

S152.0120-ES

Mounting Kit Whiteboards, 70-86"



Specifications



Max. screen size (inch)	86	86
Max. weight load (kg)	25	25
Max. distance to the wall (mm)		
Min. VESA hole pattern (mm)		
Max. VESA hole pattern (mm)		

Guarantee

Guarantee	5 years	5 years
-----------	---------	---------

General

Colour	Black	White
Article number	S152.0120	S152.0120-ES
EAN single box	8718868871312	8718868871282



\$152.0010

Fixed Wall Mount for Touch Screen & Whiteboards



120
58
200 x 200
600 x 400


5 years

Black

S152.0010

8718868872098

More info



SINGLE COLUMN - ACCESSORIES

S063.7207

Handles (2x) for Display Lift




S052.7230

Wall Mounting kit for Display Lift



S052.7235

Large Wall Plate for Display Lift



S063.7240

Key-board Support for 052.72x0 and 062.72xx



Specifications

Max. weight load (kg)				2
Width (mm)				450
Height (mm)				370
Depth (mm)				317
Max. screen size (inch)				70
Max. width of interface (mm)				

Guarantee

Guarantee	5 years	5 years	5 years	5 years
-----------	---------	---------	---------	---------

General

Colour	Black	Black	Black	Black
Article number	S063.7207	S052.7230	S052.7235	S063.7240
EAN single box	8718868871251	8718868870346	8718868871213	8718868870551

More info






More info



More info



More info



S052.7245

Laptop Support for Display Lift



400

300

5 years

Black

S052.7245

8718868870353

More info



S052.7247

Camera Mount for Display Lift



1.5

229

220

86


5 years

Black

S052.7247

8718868871220

More info



S063.7260

PC Peripheral Cover




5 years

Black

S063.7260

8718868870223

More info



S052.7285

Soundbar Bracket for Display Lift



4

750


5 years

Black

S052.7285

8718868871152

More info



S052.7288

VESA Extension Set for Display Lift



140

800


5 years

Black

S052.7288

8718868871589

More info



FLOOR LIFTS XL -
DOUBLE COLUMN

S062.7420.01

Motorized Display Lift Floor Stand



S062.7105

Motorized Display Lift Trolley



Specifications



Max. weight load (kg)	120	160
Max. screen size (inch)	86	98
Motorized	•	•
Height adjustment (mm)	870	600
Liftspeed	38 mm/sec	20 mm/sec
Min. distance to floor - center display (mm)	945	1295
Max. distance to floor - center display (mm)	1815	1895
Hole pattern (VESA)	100 mm x 100 mm 100 mm x 200 mm 200 mm x 100 mm 200 mm x 200 mm 200 mm x 300 mm 300 mm x 200 mm 300 mm x 300 mm 400 mm x 200 mm 400 mm x 300 mm 400 mm x 400 mm 400 mm x 500 mm 400 mm x 600 mm 400 mm x 700 mm 400 mm x 800 mm 500 mm x 200 mm 500 mm x 300 mm 500 mm x 400 mm 600 mm x 200 mm 600 mm x 300 mm 600 mm x 400 mm	100 mm x 100 mm 100 mm x 200 mm 200 mm x 100 mm 200 mm x 200 mm 200 mm x 300 mm 300 mm x 200 mm 300 mm x 300 mm 400 mm x 200 mm 400 mm x 300 mm 400 mm x 400 mm 400 mm x 500 mm 400 mm x 600 mm 400 mm x 700 mm 400 mm x 800 mm 500 mm x 200 mm 500 mm x 300 mm 500 mm x 400 mm 600 mm x 200 mm 600 mm x 300 mm 600 mm x 400 mm

Guarantee

Guarantee	5 years	5 years
-----------	---------	---------

General

Colour	Black	Silver
Article number	S062.7420.01	S062.7105
EAN single box	8718868870711	8718868873293



S052.7110

Motorized Display Lift floor-wall Solution



200

98

•

600

20 mm/sec

1145

1745

100 mm x 100 mm
100 mm x 200 mm
200 mm x 100 mm
200 mm x 200 mm
200 mm x 300 mm
300 mm x 200 mm
300 mm x 300 mm
400 mm x 200 mm
400 mm x 300 mm
400 mm x 400 mm
400 mm x 500 mm
400 mm x 600 mm
400 mm x 700 mm
400 mm x 800 mm
500 mm x 200 mm
500 mm x 300 mm
500 mm x 400 mm
600 mm x 200 mm
600 mm x 300 mm
600 mm x 400 mm

5 years

Silver

S052.7110

8718868870292

S062.7205B

Motorized Display Lift Trolley



120

86

•

600

38 mm/sec

903

1563

200 mm x 200 mm
200 mm x 300 mm
300 mm x 200 mm
300 mm x 300 mm
400 mm x 200 mm
400 mm x 300 mm
400 mm x 400 mm
500 mm x 200 mm
500 mm x 300 mm
500 mm x 400 mm
600 mm x 200 mm
600 mm x 300 mm
600 mm x 400 mm
800 mm x 400 mm
800 mm x 600 mm

5 years

Black

S062.7205B

8718868870193

S052.7150B

Motorized Display Lift floor-wall Solution



120

86

•

870

38 mm/sec

936

1806


100 mm x 100 mm
100 mm x 200 mm
200 mm x 100 mm
200 mm x 200 mm
200 mm x 300 mm
300 mm x 200 mm
300 mm x 300 mm
400 mm x 200 mm
400 mm x 300 mm
400 mm x 400 mm
400 mm x 500 mm
400 mm x 600 mm
400 mm x 700 mm
400 mm x 800 mm
500 mm x 200 mm
500 mm x 300 mm
500 mm x 400 mm
600 mm x 200 mm
600 mm x 300 mm
600 mm x 400 mm

5 years




Black

S052.7150B

8718868870599



More info



FLOOR LIFTS XL -
DOUBLE COLUMN

Specifications

Max. weight load (kg)
Max. screen size (inch)
Rotate
Motorized
Height adjustment (mm)
Liftspeed
Min. distance to floor - center display (mm)
Max. distance to floor - center display (mm)

Hole pattern (VESA)

Guarantee

Guarantee

General

Colour
Article number
EAN single box

S052.7150W

Motorized Display Lift floor-wall Solution



120
86
•
870
38 mm/sec
936
1806

- 100 mm x 100 mm
- 100 mm x 200 mm
- 200 mm x 100 mm
- 200 mm x 200 mm
- 200 mm x 300 mm
- 300 mm x 200 mm
- 300 mm x 300 mm
- 400 mm x 200 mm
- 400 mm x 300 mm
- 400 mm x 400 mm
- 400 mm x 500 mm
- 400 mm x 600 mm
- 400 mm x 700 mm
- 400 mm x 800 mm
- 500 mm x 200 mm
- 500 mm x 300 mm
- 500 mm x 400 mm
- 600 mm x 200 mm
- 600 mm x 300 mm
- 600 mm x 400 mm


S052.5080

Display Interface Rotating




100
Left 90° / Right 90°

- 300 mm x 200 mm
- 300 mm x 300 mm
- 400 mm x 200 mm
- 400 mm x 300 mm
- 400 mm x 400 mm
- 400 mm x 500 mm
- 400 mm x 600 mm
- 400 mm x 700 mm
- 400 mm x 800 mm
- 500 mm x 200 mm
- 500 mm x 300 mm
- 500 mm x 400 mm
- 600 mm x 200 mm
- 600 mm x 300 mm
- 600 mm x 400 mm
- 600 mm x 600 mm
- 700 mm x 400 mm
- 700 mm x 450 mm
- 800 mm x 400 mm
- 800 mm x 500 mm
- 800 mm x 600 mm



More info



DOUBLE COLUMN - ACCESSORIES

S052.7135
Wall Plate for 052.7150



S052.7145
Laptop Support



S063.7260
PC Peripheral Cover



S052.7217
Anti-collision module



Specifications

Max. weight load (kg)		5		
Width (mm)		400		
Depth (mm)		302		
Height adjustable (mm)		•		



Guarantee

Guarantee	5 years	5 years	5 years	5 years
-----------	---------	---------	---------	---------


General

Colour	White	Black	Black	Black
Article number	S052.7135	S052.7145	S063.7260	S052.7217
EAN single box	8718868871183	8718868870315	8718868870223	8718868870339


More info



More info



More info



BUSINESS FLOOR STAND & TROLLEY

S062.2900

Motorized Display Lift Trolley Business



S062.2905

Motorized Display Floor Stand Business



Specifications

Max. weight load (kg)	180	180
Max. screen size (inch)	98	98
Motorized	•	•
Liftspeed	20 mm/sec	20 mm/sec
Min. distance to floor - center display (mm)	1400	1190
Max. distance to floor - center display (mm)	1900	1760
Height adjustment (mm)	500	570
Max. VESA hole pattern (mm)	1200 x 600	1200 x 600



Guarantee

Guarantee	5 years	5 years
-----------	---------	---------

General

Colour	White	White
Article number	S062.2900	S062.2905
EAN single box	8718868870445	8718868870452

More info



ACCESSORIES

S062.2880

Base for Motorized Display Trolley Business



S062.2881

Camera Support for Motorized Display Lift Business



Specifications

Max. weight load (kg)	30	2
Width (mm)		229
Depth (mm)		220
Max. screen size (inch)	98	
Height adjustment (mm)	340	

Guarantee

Guarantee	5 years	5 years
-----------	---------	---------



General

Colour	White	White
Article number	S062.2880	S062.2881
EAN single box	8718868873668	8718868872180

More info



More info



S062.2882

Soundbar Mount for Business Trolley

S062.2883.06

Build-in for Business Trolley VESA 75-100-200

ACCESSORIES



Specifications


Max. weight load (kg)	4	10
Width (mm)		
Depth (mm)		
Max. width of interface (mm)	730	
Adjustable Height (mm)		

Guarantee


Guarantee	5 years	5 years
-----------	---------	---------

General

Colour	White	Grey
Article number	S062.2882	S062.2883.06
EAN single box	8718868873972	8712285396403



More info



S062.2885


Laptop Support for Business Trolley



5
400
300
250

5 years

White
S062.2885
8718868872647



MOTORIZED WALL
& CABINET LIFT

S052.7400-65

Motorized Display Lift Wall - Swing



S052.7400-86

Motorized Display Lift Wall - Swing



Specifications

Max. weight load (kg)	100	100
Height adjustment (mm)	500	500
Motorized	•	•
Liftspeed	20 mm/sec	20 mm/sec
Min. screen size (inch)	40	40
Max. screen size (inch)	65	85
Min. VESA hole pattern (mm)	400 x 400	400 x 400
Max. VESA hole pattern (mm)	800 x 400	800 x 400

Guarantee

Guarantee	5 years	5 years
-----------	---------	---------



General

Colour	White	White
Article number	S052.7400-65	S052.7400-86
EAN single box	8718868870636	8718868870643

More info



More info



\$052.7500

Motorized Wall Display Lift



100

650

●

38 mm/sec

55

86

400 x 200

600 x 400


5 years

White

S052.7500

871 886 887 0384

More info



\$182.7025

Motorized Display Lift Cabinet



45

1160

•

38 mm/sec

40

65

200 x 200

600 x 400


5 years

Black

S182.7025

8718868870575

More info



STAND
AND TROLLEYS

PFF 2420
Display Floor Stand

PFT 2515
Display Trolley

PFT 2520
Display Trolley



Specifications

Max. weight load (kg)	70	70	55
Min. / Max. screen size (inch)	32 / 65	32 / 65	32 / 65
Min. distance to floor - center display (mm)	1100	590	1130
Max. distance to floor - center display (mm)	1700	640	1770
Height adjustable (mm)	•	•	•

Guarantee

TÜV certified			
Guarantee	5 years	5 years	5 years



General

Colour	Black	Black	Black
Article number	7324205	7325155	7325210
EAN single box	8712285331107	8712285331121	8712285331145

More info 

More info 

More info 



ACCESSORIES

PFA 9033

Accessory Shelf PFF 2420/PFT 2520

PFA 9034

Locking Cabinet

PFA 9052

Locking Cabinet PFF 2420/PFT 2520



Specifications

Max. weight load (kg)

10

10

20

Lockable

•

•

Guarantee

TÜV certified



5 years



5 years



5 years

General

Colour

Silver

Silver

Silver

Article number

7390334

7390344

7390524

EAN single box

8712285315008

8712285315022

8712285322808




More info



More info



More info



PLASMABOY® & FLOOR STAND

Specifications

Max. weight load (kg)	50	50	30
Height (mm)	675	1925	1620
Min./ Max. screen size (inch)	36 / 55	36 / 55	36 / 55
Min. distance to floor - center display (mm)			1310
Max. distance to floor - center display (mm)	410	1660	1510
Hole pattern (VESA)	200 mm x 100 mm 200 mm x 200 mm 200 mm x 300 mm 300 mm x 200 mm 300 mm x 300 mm 400 mm x 200 mm 400 mm x 300 mm 400 mm x 400 mm 500 mm x 200 mm 500 mm x 300 mm 500 mm x 400 mm 600 mm x 200 mm 600 mm x 300 mm 600 mm x 400 mm	200 mm x 100 mm 200 mm x 200 mm 200 mm x 300 mm 300 mm x 200 mm 300 mm x 300 mm 400 mm x 200 mm 400 mm x 300 mm 400 mm x 400 mm 500 mm x 200 mm 500 mm x 300 mm 500 mm x 400 mm 600 mm x 200 mm 600 mm x 300 mm 600 mm x 400 mm	200 mm x 200 mm 200 mm x 300 mm 300 mm x 200 mm 300 mm x 300 mm 400 mm x 200 mm 400 mm x 300 mm 400 mm x 400 mm

Guarantee

Guarantee	5 years	5 years	5 years
-----------	---------	---------	---------


General

Colour	Black	Black	White
Article number	7320500	7321750	S062.0550
EAN single box	8712285336140	8712285336188	8718868870148

More info



More info



FLOOR STAND KITS

F1622RVS

Display Floor Stand

F1644RVS

Display Floor Stand

FM1622RVS

Display Floor Stand fixed

FM1644RVS

Display Floor Stand fixed



Specifications

Max. weight load (kg)	40	40	40	40
Min. / Max. screen size (inch)	19 / 55	19 / 65	19 / 55	19 / 65
Max. distance to floor - center display (mm)	1587	1587	1572	1572
Min. VESA hole pattern (mm)	100 x 100	100 x 100	100 x 100	100 x 100
Max. VESA hole pattern (mm)	200 x 200	400 x 400	200 x 200	400 x 400

Guarantee

TÜV certified				
Guarantee	5 years	5 years	5 years	5 years





General

Colour	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
Article number	7951114	7951124	7952044	7952054

[More info](#)

[More info](#)

[More info](#)

[More info](#)


FLOOR STANDS & ACCESSORY

Specifications

Max. weight load (kg)	40	50	40	10
Min./ Max. screen size (inch)	19 / 55	19 / 55	- / -	- / -
Max. distance to floor - center display (mm)	1587	1571		

Guarantee

TÜV certified

Guarantee



5 years



5 years



5 years

5 years

General

Colour	Stainless Steel	Stainless Steel	Black	Silver
Article number	7321604	7291554	7291480	7390384
EAN single box	8712285345449	8712285350788	8712285345241	8712285316081

More info







More info



More info



More info



VIDEO- CONFERENCING FURNITURE

PVF 4112

Videoconferencing Furniture



PFF 5100

Videoconferencing Furniture



PFF 5211

Videoconferencing Furniture



Specifications

Max. weight load (kg)	80	80	80
Max. screen size (inch)	90	55	90
Lockable	•		
Exceptions Remarks	Not compatible with PFB 3402	Not compatible with PFB 3402	Not compatible with PFB 3402/3405/3407

Guarantee

TÜV certified			
Guarantee	5 years	5 years	5 years

General

Colour	Silver White	Silver	Silver
Article number	7141124 (Silver) 7141121 (White)	7321514	7321524
EAN single box	8712285330346 (Silver) 8712285330384 (White)	8712285322563	8712285326844




More info



More info



More info



CAMERA
MOUNTS

Specifications

Max. weight load (kg)	2	2	2	2
Height (mm)	76	76	80	80
Length (mm)	282	282	282	282
Width (mm)	160	160	160	160

Guarantee

Guarantee	5 years	5 years	5 years	5 years
-----------	---------	---------	---------	---------

General

Colour	Black	White	Black	White
Article number	7023044A	7023044B	S016.1010.01	S016.1010.11
EAN single box	8712285407666	8712285407680	8712285395604	8718868873361

PPA 910
Camera Mount Sony SRG-A40







PPA 911
Camera Mount Sony SRG-A40



S016.1010.01
Camera Mount Sony SRG-X400, SRG-X120 & BRC-X400



S016.1010.11
Camera Mount Sony SRG-X400, SRG-X120 & BRC-X400



BALANCE BOXES

SBBW.0400-37

BalanceBox 400-37

SBBW.0400-63

BalanceBox 400-63

SBBW.0400-89

BalanceBox 400-89



Specifications




Min. weight load (kg)	18	36	61
Max. weight load (kg)	37	63	89
Max. screen size (inch)	86	86	86
Min. VESA hole pattern (mm)	200 x 200	200 x 200	200 x 200
Max. VESA hole pattern (mm)	800 x 670	800 x 670	800 x 670
Height adjustment (mm)	400	400	400

Guarantee

TÜV certified			
Guarantee	3 years	3 years	3 years

General

Colour	Black	Black	Black
Article number	SBBW.0400-37	SBBW.0400-63	SBBW.0400-89
EAN single box	8718868874153	8718868873927	8718868874085



BALANCE
BOXES

SBBW.0650-64
BalanceBox 650-64

SBBW.0650-121
BalanceBox 650-121

SBBW.0650-156
BalanceBox 650-156



Specifications




Min. weight load (kg)	29	62	89
Max. weight load (kg)	64	121	156
Max. screen size (inch)	98	98	98
Min. VESA hole pattern (mm)	200 x 200	200 x 200	200 x 200
Max. VESA hole pattern (mm)	800 x 670	800 x 670	800 x 670
Height adjustment (mm)	650	650	650

Guarantee

TÜV certified			
Guarantee	3 years	3 years	3 years

General

Colour	Black	Black	Black
Article number	SBBW.0650-64	SBBW.0650-121	SBBW.0650-156
EAN single box	8712285400780	8718868870926	8718868874313



WALL TRUSS
MODULES**S063.0460**

Wall Truss Module, tiltable

S063.0465

Wall Truss Module

S003.1128

Doughty Trigger Clamp

**Specifications**

Max. weight load (kg)	80	80	200
Width (mm)	325	285	
Length (mm)	280	174	
Depth (mm)	49	17	
Tilt	Tilt -13°/+5°		
Orientation	Landscape / Portrait	Landscape / Portrait	
Mounting system	Three-point coupling	Three-point coupling	
Incl. bracket/interface	-	-	
Exceptions Remarks	Excl. S003.1128 Doughty Trigger Clamp	Not compatible with S052.5070 Display Mount	Ø 48-51

Guarantee

Guarantee	5 years	5 years	5 years
-----------	---------	---------	---------

General

Colour	Black	Black	Black
Article number	S063.0460	S063.0465	S003.1128
EAN single box	8718868872791	8718868872524	8718868870056




More info



More info



More info



LIGHT SERIES

S062.8050

Display Floor Stand, divisible

S062.8050-225

Display Floor Stand, divisible



Specifications

Max. weight load (kg)	30	30
Width (mm)	950	950
Height (mm)	1924	2274
Max. screen size (inch)	55	55
Max. distance to floor - center display (mm)	1782	2140
Tilt		
Divisible	•	•
Mounting system	Three-point coupling	Three-point coupling

Guarantee



Guarantee	5 years	5 years
-----------	---------	---------

General

Colour	Silver	Silver
Article number	S062.8050	S062.8050-225
EAN single box	8718868873347	8718868872470

More info 

More info 



S063.8635

Display Stage Stand, 350mm



30

304

55

Tilt up to 60°

Three-point coupling


5 years

Silver

S063.8635


8718868872746

More info



S063.8695

Display Stage Stand, 950mm



30

904

55

Tilt up to 60°

Three-point coupling


5 years

Silver

S063.8695

8718868873125

More info



LIGHT SERIES -
ACCESSORIES

S063.8020
Stand Head

S063.8055
Floor Plate



Specifications

Max. weight load (kg)	30	
Width (mm)	260	725
Height (mm)	185	98
Depth (mm)	86	480
Mounting system	Three-point coupling	

Guarantee

Guarantee	5 years	5 years
-----------	---------	---------



General

Colour	Grey	Grey
Article number	S063.8020	S063.8055
EAN single box	8712285397240	8718868872739

More info



More info



S063.8555
Trolley Frame




963
183
641

5 years

Grey
S063.8555
8718868873743

More info 



S063.8100
Laptop Tray





5
386
397

5 years

Grey
S063.8100
8718868873316

More info 



HEAVY DUTY
SERIES

Specifications

Max. weight load (kg)	60	85	85
Width (mm)	950	1140	1140
Height (mm)	1929	1929	2279
Max. screen size (inch)	65	90	90
Max. distance to floor - center display (mm)	1790	1790	2135
Tilt			
Divisible	•	•	•
Mounting system	Three-point coupling	Three-point coupling	Three-point coupling

Guarantee

Guarantee	5 years	5 years	5 years
-----------	---------	---------	---------

General

Colour	Silver	Silver	Silver
Article number	S062.1000	S062.3000	S062.3000-225
EAN single box	8718868872500	8718868872593	8718868873439

S062.1000
Display Floor Stand, divisible




S062.3000
Display Floor Stand, divisible




S062.3000-225
Display Floor Stand, divisible




More info 



More info 



More info 



S062.1500

Display Trolley, divisible




60
900
2029
65
1890

•
Three-point coupling

5 years

Silver

S062.1500
8718868873033



S062.3500

Display Trolley, divisible




85
1100
2029
90
1890

•
Three-point coupling

5 years

Silver

S062.3500
8718868874214



S063.0500

Display Stage Stand 350mm




85
333
65

Tilt +35°/+55°
Three-point coupling

5 years

Silver

S063.0500
8718868872609



S063.0595

Display Stage Stand 950mm



85
1033
65

Tilt +35°/+55°
Three-point coupling

5 years

Silver

S063.0595
8718868873828



More info



More info



More info



More info



HEAVY DUTY - PARTS & ACCESSORIES

Specifications

Max. weight load (kg)	85	15		60
Width (mm)	270	386		950
Height (mm)	212		350	164
Depth (mm)	148	308		480
Mounting system	Three-point coupling			
Exceptions Remarks				

Guarantee

Guarantee	5 years	5 years	5 years	5 years
-----------	---------	---------	---------	---------

General

Colour	Grey	Grey	Silver	Grey
Article number	S063.1020	S063.0100	S063.0200	S063.1010
EAN single box	8718868873095	8718868872425	8718868874320	8718868873255

More info







More info



More info



More info



S063.3010	S063.1510	S063.3510	S063.0600	S063.1039-M8
Floor Plate, <90"	Trolley Floor Plate, <65"	Trolley Floor Plate, <90"	Hoist System for divisible Floor Stand	Three-point Coupling Bolt
				
				
85	65	85	85	
1140	900	1100		
164	264	264		
576	563	663		
			Suitable for S062.1000 and S062.3000	
5 years	5 years	5 years	5 years	5 years
Grey	Grey	Grey	Black	Stainless Steel
S063.3010	S063.1510	S063.3510	S063.0600	S063.1039-M8
8718868873088	8718868872616	8712285397042	8712285396885	8718868873224





More info 

More info 

More info 

More info 

More info 






DISPLAY
MOUNTS

	S063.0300 Display Mount	S063.0305 Display Mount	S063.0310 Display Mount
			
Specifications			
Max. weight load (kg)	50	50	80
Width (mm)	225	425	
Length (mm)	225	225	440
Depth (mm)	22	21	42
Hole pattern (VESA)	75 mm x 75 mm 100 mm x 100 mm 200 mm x 100 mm 200 mm x 200 mm	200 mm x 200 mm 400 mm x 200 mm 400 mm x 400 mm	300 mm x 200 mm 300 mm x 300 mm 400 mm x 300 mm 400 mm x 400 mm
Rotate			
Mounting system	Three-point coupling	Three-point coupling	Three-point coupling
Exceptions Remarks			
Guarantee			
Guarantee	5 years	5 years	5 years
General			
Colour	Black	Black	Black
Article number	S063.0300	S063.0305	S063.0310
EAN single box	8718868872463	8718868873934	8718868872449

More info 

More info 

More info 



S063.0315

Display Mount



80

430

430

21

300 mm x 300 mm
400 mm x 200 mm
400 mm x 400 mm

Three-point coupling


5 years

Black

S063.0315

8718868872630

More info


S063.0320

Display Mount



80

640

430

42

600 mm x 200 mm
600 mm x 400 mm

Three-point coupling


5 years

Black

S063.0320

8718868872845

More info


S063.0335

Display Mount



160

840

640

41

800 mm x 400 mm
800 mm x 600 mm

Three-point coupling


5 years

Black

S063.0335

8718868872982

More info


S052.5070

Display Mount, incl. rotation



160

916

620

81

300 mm x 200 mm
300 mm x 300 mm
400 mm x 200 mm
400 mm x 300 mm
400 mm x 400 mm
400 mm x 500 mm
400 mm x 600 mm
400 mm x 700 mm
400 mm x 800 mm
500 mm x 200 mm
500 mm x 300 mm
500 mm x 400 mm
600 mm x 200 mm
600 mm x 300 mm
600 mm x 400 mm
600 mm x 600 mm
700 mm x 400 mm
800 mm x 400 mm
800 mm x 500 mm
800 mm x 600 mm

Left 90° / Right 90°

Three-point coupling

Not compatible with S063.0465 ' Truss Module


5 years

Black

S052.5070

8718868873248

More info



ELECTRIC
HOIST SYSTEM
& DISPLAY
MOUNT

Specifications

Max. weight load (kg)	120	120
Width (mm)	1140	
Height (mm)	2402	
Depth (mm)	637	
Max. screen size (inch)	98	
Motorized		
Min. distance to floor - center display (mm)	700	
Max. distance to floor - center display (mm)	2140	
Min. VESA hole pattern (mm)		300 x 200
Max. VESA hole pattern (mm)		800 x 600
Rotate		Left 90° / Right 90°
Mounting system	Four-point coupling	Four-point coupling

Guarantee

Guarantee	5 years	5 years
-----------	---------	---------



General

Colour	Silver	Black
Article number	S062.7300	S052.5075
EAN single box	8712285396687	8712285395963

More info



More info



PROJECTOR TRUSS
MOUNTS

S002.1641

Rental Set 1, 11 cm



S002.1660

Rental Set 2, 45-70 cm



Specifications

Max. weight load (kg)	30	30
Min. distance to ceiling (mm)	110	450
Max. distance to ceiling (mm)		700
Fine tune adjustability	•	•
Tilt	Tilt up to 20°	Tilt up to 20°
Turn	Up to 360°	Up to 360°
Incl. bracket/interface	-	-
Exceptions Remarks	Excl. S003.1128 Doughty Trigger Clamp	Excl. S003.1128 Doughty Trigger Clamp

Guarantee

Guarantee	5 years	5 years
-----------	---------	---------



General

Colour	Black	Black
Article number	S002.1641	S002.1660
EAN single box	8718868872685	8718868873897

More info



More info



PROJECTOR TRUSS
MOUNTS

Specifications

Max. weight load (kg)	30	50
Min. distance to ceiling (mm)	700	
Max. distance to ceiling (mm)	1150	
Fine tune adjustability	•	•
Tilt	Tilt up to 20°	Tilt up to 10°
Turn	Up to 360°	Up to 180°
Incl. bracket/interface	-	-
Exceptions Remarks	Excl. S003.1128 Doughty Trigger Clamp	Excl. S003.1128 Doughty Trigger Clamps 2x

Guarantee

TÜV certified		
Guarantee	5 years	5 years

General

Colour	Black	Black
Article number	S002.1661	S002.1650
EAN single box	8718868874252	8718868872654



S002.1661

Rental Set 3, 70-115 cm



S002.1650

Projector Fine Adjustment



More info



More info



S002.4600

Projector Mount



500



Tilt up to 15°

Up to 360°

—

Excl. S003.1128 Doughty Trigger Clamp





5 years

Black

S002.4600

8718868873118

More info



PROJECTOR
MOUNTS -
ACCESSORIES

S002.1003

Projector Mount

S002.4610

Truss Mounting Bar for Mount
S002.4600

S003.1128

Doughty Trigger Clamp



Specifications

Max. weight load (kg)	25	500	200
Range (diameter)	30 - 378 mm		
Length (mm)		580	
Tilt		Tilt -15°/+10°	
Exceptions Remarks			Ø 48-51

Guarantee

TÜV certified			
Guarantee	5 years	5 years	5 years

General

Colour	Black	Black	Black
Article number	S002.1003	S002.4610	S003.1128
EAN single box	8718868872661	8712285395284	8718868870056




More info



More info



More info



STACK
FRAMES

S112.4200
Stack Frame



S112.4210
Stack Frame



Specifications

Max. weight load (kg)	100	100
Height (mm)	438	438
Length (mm)	615	615
Width (mm)	769	769
Max. projector size	500x560x200	590x500x210
Tilt	Tilt -5°/+5°	Tilt -5°/+5°
Rotate	+3,5° / -3,5°	+3,5° / -3,5°
Incl. bracket/interface	-	-

Guarantee

TÜV certified		
Guarantee	5 years	5 years



General

Colour	Black	Black
Article number	S112.4200	S112.4210
EAN single box	8718868872210	8718868872227

More info



More info



STACK FRAMES - ACCESSORIES

S112.1001

Projector-specific Stackframe Mount

S003.1128

Doughty Trigger Clamp

S112.1019

Stack Frame Clamp



Specifications

Max. weight load (kg)		200	100
Height (mm)			49
Width (mm)			220

Guarantee

TÜV certified			
Guarantee	5 years	5 years	5 years

General

Colour	Black	Black	Black
Article number	S112.1001	S003.1128	S112.1019
EAN single box	8712285397981	8718868870056	8718868871602




More info



More info



More info



SOLUTION SAMSUNG OMN-D SERIES

PFFC 4655

Floor-Ceiling Solution Samsung OMN-D

PFF 2046

Floor Plate Samsung OM46N-D

PFF 2055

Floor Plate Samsung OM55N-D



Specifications

Min./ Max. screen size (inch)	46 / 55	46 / 46	55 / 55
Depth (mm)	160	550	550
Height (mm)	2020	225	225

Guarantee

Guarantee	5 years	5 years	5 years
-----------	---------	---------	---------

General

Colour	Black	Black	Black
Article number	7346550	7320460	7320550
EAN single box	8712285345289	8712285345548	8712285345562




More info



More info



More info



KITS - FLOOR
STAND &
WALL MOUNT

Specifications

Max. weight load (kg)	35	45	35	45
Screen size (inch)	49	55	49	55
Height (mm)	2074	2108	737	818
Orientation	Landscape / Portrait	Landscape / Portrait	Landscape / Portrait	Landscape / Portrait
Min. distance to floor - center display (mm)	1700	1700		

Guarantee

Guarantee	2 years	2 years	2 years	2 years
-----------	---------	---------	---------	---------

General

Colour	Black	Black	Black	Black
Article number	7951130	7951140	7951110	7951120

OFMLG49XE4F
Outdoor Floor Stand



OFMLG55XE4F
Outdoor Floor Stand



OWMLG49XE4F
Outdoor Wall Mount



OWMLG55XE4F
Outdoor Wall Mount



More info







More info



More info



More info



WALL MOUNTS & FRAMES

POW 1601

Outdoor Wall Mount LG
49XE4F



POW 1602

Outdoor Wall Mount LG
55XE4F



POA 9601

Outdoor Frame LG 49XE4F



POA 9602

Outdoor Frame LG 55XE4F



Specifications

Max. weight load (kg)	35	45		
Screen size (inch)	49	55		
Orientation	Landscape / Portrait	Landscape / Portrait		
Min. distance to the wall (mm)	75	75		

Guarantee

Guarantee	5 years	5 years	2 years	2 years
-----------	---------	---------	---------	---------

General

Colour	Black	Black	Black	Black
Article number	7216010	7216020	7296010	7296020
EAN single box	8712285351921	8712285351945	8712285351884	8712285351907

More info







More info



More info



More info



FLOOR STANDS

POF 7601

Outdoor Floor Stand LG 49XE4F



POF 7602

Outdoor Floor Stand LG 55XE4F



Specifications

Screen size (inch)	49	55
Height (mm)	2074	2074
Min. distance to floor - center display (mm)	1700	1700

Guarantee

Guarantee	2 years	2 years
-----------	---------	---------



General

Colour	Black	Black
Article number	7276010	7276020
EAN single box	8712285351983	8712285352003

More info



More info



HOUSINGS
INDOOR &
OUTDOOR

S092.1500.2

Display Indoor Housing, 50-55"



S092.1600.1

Display Outdoor Housing, 46-49"



Specifications

Min./ Max. screen size (inch)
Max. VESA hole pattern (mm)
Orientation

50 / 55
600 x 400
Landscape / Portrait

46 / 49
600 x 400
Landscape / Portrait

Guarantee

Guarantee

5 years



5 years

General

Colour
Article number
EAN single box

White
S092.1500.2
8718868873842

White
S092.1600.1
8718868871534



HOUSINGS
INDOOR &
OUTDOOR

S092.1600.2

Display Outdoor Housing, 50-55"



Smart
metals



S092.1600.3

Display Outdoor Housing, 56-65"



Smart
metals



Specifications

Min./ Max. screen size (inch)
Max. VESA hole pattern (mm)
Orientation

50 / 55
600 x 400
Landscape / Portrait

58 / 65
600 x 400
Landscape / Portrait

Guarantee

Guarantee

5 years



5 years

General

Colour
Article number
EAN single box

White
S092.1600.2
8718868871541

White
S092.1600.3
8718868870957



S092.1600.4

Display Outdoor Housing, 66-75"



70 / 75

600 x 400


Landscape / Portrait

5 years

White

S092.1600.4

8712285397721



MOMO MOTION PLUS

MOMO 4126

Monitor Arm Motion Plus



MOMO 4136

Monitor Arm Motion Plus



MOMO 4127

Monitor Arm Motion Plus



Specifications

Max. weight load (kg)	10	10	10
Min./ Max. screen size (inch)	- / 43	- / 43	- / 43
Number of pivot points	2	3	2
Turn	Up to 180°	Up to 180°	Up to 180°
Tilt	Tilt -20°/+55°	Tilt -20°/+55°	Tilt -20°/+55°
Rotate	Up to 180°	Up to 180°	Up to 180°
Height adjustable (mm)	•	•	•
Hole pattern (VESA)	50 mm x 50 mm 75 mm x 75 mm 100 mm x 100 mm	50 mm x 50 mm 75 mm x 75 mm 100 mm x 100 mm	50 mm x 50 mm 75 mm x 75 mm 100 mm x 100 mm

Guarantee

TÜV certified			
Guarantee	10 years	10 years	10 years

General

Colour	Black White	Black White	Black White
Article number	7141260 (Black) 7141261 (White)	7141360 (Black) 7141361 (White)	7141270 (Black) 7141271 (White)
EAN single box	8712285353468 (Black) 8712285353482 (White)	8712285353505 (Black) 8712285353529 (White)	8712285353581 (Black) 8712285353604 (White)




More info



More info



More info



MOMO 4137

Monitor Arm Motion Plus



10

- / 43

3

Up to 180°

Tilt -20°/+55°

Up to 180°

•

50 mm x 50 mm
75 mm x 75 mm
100 mm x 100 mm



10 years

Black | White

7141370 (Black)
7141371 (White)

8712285353628 (Black)
8712285353642 (White)

More info



MOMO 4138

Monitor Arm Motion Plus



10

- / 43

3

Up to 180°

Tilt -20°/+55°

Up to 180°

•

50 mm x 50 mm
75 mm x 75 mm
100 mm x 100 mm



10 years

Black | White

7141380 (Black)
7141381 (White)

8712285353543 (Black)
8712285353567 (White)

More info



MOMO 4237

Monitor Arm Motion Plus



20

- / 34

3

Up to 180°

Tilt -20°/+55°

Up to 180°

•

50 mm x 50 mm
75 mm x 75 mm
100 mm x 100 mm






10 years

Black | White

7142370 (Black)
7142371 (White)

8712285353666 (Black)
8712285353680 (White)

More info



MOMO MOTION

MOMO 2116

Monitor Arm Motion

MOMO 2117

Monitor Arm Motion

MOMO 2127

Monitor Arm Motion



Specifications

Max. weight load (kg)	20	20	20
Min./ Max. screen size (inch)	- / 43	- / 43	- / 43
Number of pivot points	1	1	2
Turn	Up to 180°	Up to 180°	Up to 180°
Tilt	Tilt -20°/+105°	Tilt -20°/+55°	Tilt -20°/+55°
Rotate	Up to 180°	Up to 180°	Up to 180°
Height adjustable (mm)	-	•	•
Hole pattern (VESA)	50 mm x 50 mm 75 mm x 75 mm 100 mm x 100 mm	50 mm x 50 mm 75 mm x 75 mm 100 mm x 100 mm	50 mm x 50 mm 75 mm x 75 mm 100 mm x 100 mm

Guarantee

TÜV certified			
Guarantee	10 years	10 years	10 years




General

Colour	Black White	Black White	Black White
Article number	7121160 (Black) 7121161 (White)	7121170 (Black) 7121171 (White)	7121270 (Black) 7121271 (White)
EAN single box	8712285353703 (Black) 8712285353727 (White)	8712285353741 (Black) 8712285353765 (White)	8712285353789 (Black) 8712285353802 (White)

More info 

More info 

More info 



MOMO 2137

Monitor Arm Motion



20

- / 43

3

Up to 180°

Tilt -20°/+55°

Up to 180°

•

50 mm x 50 mm
75 mm x 75 mm
100 mm x 100 mm



10 years

Black | White

7121370 (Black)

7121371 (White)

8712285353826 (Black)

8712285353840 (White)

More info



MOMO 2237

Monitor Arm Motion



20

- / 34

3

Up to 180°

Tilt -20°/+55°

Up to 180°

•

50 mm x 50 mm
75 mm x 75 mm
100 mm x 100 mm



10 years

Black | White



7122370 (Black)

7122371 (White)

8712285353864 (Black)

8712285353888 (White)

More info



MOMO
ACCESSORIES

Specifications

Max. weight load (kg)	17.5		
Depth (mm)		115	
Hole pattern (VESA)	50 mm x 50 mm 75 mm x 75 mm 100 mm x 100 mm		100 mm x 200 mm 200 mm x 100 mm

Guarantee

TÜV certified			
Guarantee	10 years	10 years	10 years

General

Colour	Black White	Black White	Black White
Article number	7190010 (Black) 7190011 (White)	7190020 (Black) 7190021 (White)	7190030 (Black) 7190031 (White)
EAN single box	8712285354663 (Black) 8712285354687 (White)	8712285354700 (Black) 8712285354724 (White)	8712285354748 (Black) 8712285354762 (White)




More info



More info



More info



TabLock® for Apple iPad and Samsung Galaxy Tab

Key features

- Theft preventing
- Quick and easy installation
- Direct wall mounting is possible
- Home button accessible or completely hidden
- Pin holes for power and volume buttons to prevent unauthorized operation (depending on the model)
- Wifi, 3G/4G/5G and bluetooth functionality are unimpeded
- Portrait or landscape position possible
- VESA 100x100 mm mounting holes for mounting the TabLock on all Vogel's VESA compatible mounts

Please check vogels.com for latest models.



Universal TabLock®

- For several tablet models up to 10 inch
- Unique push-in lock
- 3 mm steel and high-end aluminium
- Secure tablet holder for use in public spaces

Universal Tablet Holder

Specifications

Max. weight load (kg)	3
Hole pattern (VESA)	100 mm x 100 mm


Guarantee

Guarantee	5 years
-----------	---------

General

Colour	Silver
Article number	7495264
EAN single box	8712285331183

More info



TABLOCK® ACCESSORIES

PTA 3101

Floor Stand

PTA 3102

Table stand

PTA 3103

Wall/Table support

PTA 3105

Table Stand incl base plate



Specifications

Max. weight load (kg)	3	3	10	3
Min./ Max. screen size (inch)	7 / 26	7 / 26	7 / 26	7 / 26
Tilt	Tilt up to 90°	Tilt up to 90°		Tilt up to 90°
Cable management	Integrated cable management	Integrated cable management		Integrated cable management
Max. distance to floor - center display (mm)	1000	285		294
Hole pattern (VESA)	50 mm x 50 mm 75 mm x 75 mm 100 mm x 100 mm	50 mm x 50 mm 75 mm x 75 mm 100 mm x 100 mm	50 mm x 50 mm 75 mm x 75 mm 100 mm x 100 mm	50 mm x 50 mm 75 mm x 75 mm 100 mm x 100 mm

Guarantee

TÜV certified				
Guarantee	5 years	5 years	5 years	5 years

General

Colour	Silver	Silver	Black	Silver
Article number	7493110	7493120	7493130	7493150
EAN single box	8712285334726	8712285334740	8712285335242	8712285334764

More info







More info



More info




More info



PROJECTOR LIFT SYSTEMS

PPL 2035
Projector Lift

PPL 2040
Projector Lift



Specifications

Max. weight load (kg)	15	30
Depth (mm)	554	680
Width (mm)	655	820
Min. distance to ceiling (mm)	130	140
Max. distance to ceiling (mm)	480	540
Voltage	220 V, 50 Hz 230 V, 50 Hz	220 V, 50 Hz 230 V, 50 Hz
Max. projector size	400 x 450 mm	570 x 590 mm

Guarantee

TÜV certified		
Guarantee on Electrical Parts	2 years	2 years








General

Colour	Silver	Silver
Article number	7020354	7020404
EAN single box	8712285338342	8712285350801

More info



More info



PPL 2100
Projector Lift



30
554
575
155
970
220 V, 50 Hz 230 V, 50 Hz
570 x 600 mm



2 years

Silver
7021004
8712285338380

PPL 2170
Projector Lift



30
554
575
255
1979
220 V, 50 Hz 230 V, 50 Hz
570 x 600 mm



2 years

Silver
7021704
8712285338427

PPL 2500
Projector Lift



70
890
790
705
5705
230 V, 50 Hz
570 x 600 mm






2 years

Black
7025000
8712285338465

More info 

More info 

More info 



ACCESSORIES

	PPA 901 Ceiling Tile Holder 560x560mm	PPA 902 RF Control Set	PPA 903 Control Pad for RF Control Set
			
			
Specifications			
Voltage		220 V, 50 Hz 230 V, 50 Hz	220 V, 50 Hz 230 V, 50 Hz
Width (mm)	600		
Exceptions Remarks	Not compatible with PPL 2500	Not compatible with PPL 2500	Not compatible with PPL 2500
Guarantee			
Guarantee	2 years	2 years	2 years
General			
Colour	White	White	White
Article number	7099011	7099021	7099081
EAN single box	8712285338182	8712285338205	8712285338243
	More info  	More info  	More info  

PPA 904

Low Voltage Contact



220 V, 50 Hz
230 V, 50 Hz

Not compatible with PPL 2500

2 years

White

7099041

8712285338267

More info



PPA 905

Interface Switch 12V



220 V, 50 Hz
230 V, 50 Hz

Not compatible with PPL 2500

2 years

Silver

7099054

8712285338304

More info





Projector Ceiling Mounts

Vogel's offers a complete range of projector ceiling mounts. These projector mounts are especially designed for the latest generation projectors weighing up to 30 kg. The range includes basic projector ceiling mounts and height adjustable kits with telescopic poles.

Universal projector interface

- Universal projector interface
- Fine-tune adjustability for precise alignment to the projection surface
- Unique friction ring will eliminate all play from the interface connections
- Solid and very stable solution

Height adjustable Projector

Ceiling Mount kits

- Height adjustable, ideal when flexibility is required
- Three lengths available (ranging from 400 to 1350 mm)
- Suitable for mounting to flat and inclined ceilings up to 90°
- CIS® Cable Inlay System runs the full length of the pole and even allows for cable routing after installation.

PROJECTOR
CEILING
MOUNTS

PPC 1500

Projector Ceiling Mount



PPC 2500

Projector Ceiling Mount



Specifications

Max. weight load (kg)	20	30
Range (diameter)	30 - 337 mm	30 - 410 mm
Min. distance to ceiling (mm)	124	124
Max. distance to ceiling (mm)	124	124
Tilt	Tilt up to 15°	Tilt up to 15°
Exceptions Remarks	Can be mounted directly to ceiling	Can be mounted directly to ceiling

Guarantee

TÜV certified		
Guarantee	5 years	5 years



General

Colour	Silver White	Silver
Article number	7015014 (Silver) 7015001 (White)	7025004
EAN single box	8712285325069 (Silver) 8712285325144 (White)	8712285325229

More info



More info



Specifications

Max. weight load (kg)	20	20	20
Range (diameter)	30 - 337 mm	30 - 337 mm	30 - 337 mm
Min. distance to ceiling (mm)	400	550	850
Max. distance to ceiling (mm)	550	850	1350
Tilt	Tilt up to 15°	Tilt up to 15°	Tilt up to 15°

Guarantee

TÜV certified			
Guarantee	5 years	5 years	5 years

General

Colour	Silver White	Silver White	Silver White
Article number	7015404 (Silver) 7015401 (White)	7015554 (Silver) 7015551 (White)	7015854 (Silver) 7015851 (White)
EAN single box	8712285325083 (Silver) 8712285325168 (White)	8712285325106 (Silver) 8712285325182 (White)	8712285325120 (Silver) 8712285325205 (White)




More info



More info



More info



ACCESSORIES

PPA 310

Projector Anti-Theft Housing



PPA 320

Projector Anti-Theft Housing



Specifications

Height (mm)	264	323
Width (mm)	341	539
Depth (mm)	475	515
Max. projector size	410 x 410 x 130 mm	510 x 460 x 180 mm
Exceptions Remarks	Can be mounted directly to ceiling	Can be mounted directly to ceiling

Guarantee

Guarantee	5 years	5 years
-----------	---------	---------



General

Colour	Silver	Silver
Article number	7093104	7093204
EAN single box	8712285322709	8712285322723

More info



More info



ANGLED
PROJECTOR
MOUNT

Specifications

Max. weight load (kg)	30		
Tilt	Tilt up to 20°		
Incl. bracket/interface	-		

Guarantee

Guarantee	5 years	5 years	5 years
-----------	---------	---------	---------

General

Colour	Black	Black	White
Article number	S002.1560	S002.1550	S002.1001
EAN single box	8718868873019	8718868873002	

S002.1560

Portrait/Floor Projection, angled
Mount 35 - 63 cm





S002.1550

Portrait/Floor Projection kit for
S002.1560



S002.1001

Projector specific Mount



Type nr.	Pag.	Type nr.	Pag.	Type nr.	Pag.	Type nr.	Pag.	Type nr.	Pag.
C		M		PFA 9159	57	PFW 3030	101	PPC 1585	188
C0844	32	MOMO 2116	176	PFA 9160	57	PFW 3040	101	PPC 2500	187
C1544	32	MOMO 2117	176	PFA 9161	57	PFW 4200	102	PPC 2540	189
C3044	32	MOMO 2127	176	PFA 9162	58	PFW 4210	103	PPC 2555	189
C40844	26	MOMO 2137	177	PFA 9163	58	PFW 4500	102	PPC 2585	189
C41544	26	MOMO 2237	177	PFA 9164	58	PFW 4510	103	PPL 2035	182
C42244	26	MOMO 4126	174	PFA 9165	61	PFW 4700	102	PPL 2040	182
C43044	26	MOMO 4127	174	PFA 9166	61	PFW 4710	103	PPL 2100	183
CD1564	34	MOMO 4136	174	PFA 9168	21	PFW 6400	104	PPL 2170	183
CD1584	35	MOMO 4137	175	PFA 9174	21	PFW 6410	104	PPL 2500	183
CD3064	34	MOMO 4138	175	PFB 3402	12, 80	PFW 6706	95	PPM6704	95
CD3084	35	MOMO 4237	175	PFB 3405	12, 80	PFW 6800	104	PPM6708	95
CT0844	33	MOMO A001	178	PFB 3407	13, 80	PFW 6810	105	PTA 3101	181
CT1544	33	MOMO A002	178	PFB 3409	13, 80	PFW 6815	105	PTA 3102	181
CT240811	23	MOMO A003	178	PFB 3411	13, 81	PFW 6850	106	PTA 3103	181
CT240822	24			PFB 3419	14, 81	PFW 6851	106	PTA 3105	181
CT240844	25			PFB 3427	14, 81	PFW 6852	106	PTS 2010	180
CT241511	23	OFMLG49XE4F	168	PFB 3433	15, 81	PFW 6855	107	PJA 9503	40
CT241522	24	OFMLG55XE4F	168	PFC 555	42	PFW 6858	107	PJA 9504	41
CT241544	25	OWMLG49XE4F	168	PFC 585	42	PFW 6870	96	PJA 9507	39, 61
CT242211	23	OWMLG55XE4F	168	PFF 1560	144	PFW 6875	96	PJA 9510	31
CT242222	24			PFF 2046	167	PFW 6880	97	PJA 9515	31
CT242244	25			PFF 2055	167	PFW 6885	97	PJA 9516	31
CT243011	23	PB 050	142	PFF 2420	140	PFW 6900	105	PUC 1041	28
CT243022	24	PB 175	142	PFF 5100	145	PFW 6910	105	PUC 1045	28
CT243044	25	PFA 9033	141	PFF 5211	145	PLA 8902	123	PUC 1051	28
CT3044	33	PFA 9034	141	PFF 7020	52	PLA 9301	92	PUC 1060	36
CT40844	27	PFA 9038	144	PFF 7030	52	PLA 9302	92	PUC 1065	36
CT41544	27	PFA 9052	141	PFF 7040	53	PLA 9303	92	PUC 1070	36
CT42244	27	PFA 9103	40	PFF 7060	53	PLA 9304	92	PUC 1080	37
CT43044	27	PFA 9104	20, 86	PFF 7070	53	PLA 9305	93	PUC 1090	37
CVW2255	76	PFA 9108	41	PFF 7920	77	PLA 9306	93	PUC 2408	29
CVW3355	76	PFA 9109	21	PFF 7965	78	PLA 9307	93	PUC 2415	29
		PFA 9112	60	PFFC 4655	167	PLA 9308	93	PUC 2422	29
		PFA 9113	60	PFI 3015	30	PLB 3111	90	PUC 2430	29
		PFA 9114	62	PFI 3045	30	PLB 3120	90	PUC 2508	38
F1544	45	PFA 9115	56	PFI 3050	30	PLB 3127	91	PUC 2515	38
F1622RVS	143	PFA 9116	56	PFS 3204	16	PLB 3133	91	PUC 2530	38
F1644RVS	143	PFA 9120	56	PFS 3208	16	PLM 8030	83	PUC 2715	55
F1844	45	PFA 9121	57	PFS 3302	17	PLS 8001	83	PUC 2718	55
F2044	45	PFA 9122	21	PFS 3304	17	POA 9601	169	PUC 2720	55
FCVW2255	75	PFA 9124	62	PFS 3306	17	POA 9602	169	PUC 2920	79
FCVW3355	75	PFA 9126	20	PFS 3308	18	POF 7601	170	PUC 2927	79
FD1564	46	PFA 9127	39, 63	PFS 3311	18	POF 7602	170	PUC 2933	79
FD1584	47	PFA 9128	87	PFS 3504	19, 82	POW 1601	169	PVA 5050	59
FD1864	46	PFA 9129	77	PFS 3508	19, 82	POW 1602	169	PVA 5070	59
FD1884	47	PFA 9130	77	PFT 2515	140	PPA 310	190	PVF 4112	145
FD2064	46	PFA 9132	78	PFT 2520	140	PPA 320	190		
FD2084	47	PFA 9141	84	PFT 8520	54	PPA 901	184		
FM1544	48	PFA 9142	84	PFT 8530	54	PPA 902	184	R	
FM1622RVS	143	PFA 9143	85	PFT 8920	77	PPA 903	184	RISE 2005	115
FM1644RVS	143	PFA 9144	85	PFT 7120	123	PPA 904	185	RISE 2008	115
FM1844	48	PFA 9145	20	PFW 1020	99	PPA 905	185	RISE 3205	114
FM2044	48	PFA 9148	144	PFW 1030	99	PPA 910	146	RISE 4105	111
FMVW2255	74	PFA 9149	31	PFW 1040	99	PPA 911	146	RISE 4205	114
FMVW3355	74	PFA 9155	144	PFW 2020	100	PPC 1500	187	RISE 4208	114
FVW2255	72	PFA 9156	86	PFW 2030	100	PPC 1540	188	RISE 5205	112
FVW3355	72	PFA 9158	107	PFW 2040	100	PPC 1555	188	RISE 5208	112
								RISE 5305	113

Type nr.	Pag.	Type nr.	Pag.	Type nr.	Pag.	Type nr.	Pag.	Type nr.	Pag.
RISE 5308	113	S002.1661	162	S062.0550	142	S063.0300	158	S112.1001	166
RISE A111	118	S002.4600	163	S062.0595-65	66	S063.0305	158	S112.1019	166
RISE A112	118	S002.4610	164	S062.0595-65W	67	S063.0310	158	S112.4200	165
RISE A121	118	S003.1128	149, 164,	S062.1000	154	S063.0315	159	S112.4210	165
RISE A122	119	166		S062.1220	64	S063.0320	159	S152.0010	127
RISE A131	119	S016.1010.01	146	S062.1500	155	S063.0335	159	S152.0115	125
RISE A141	119	S016.1010.11	146	S062.1720	65	S063.0460	149	S152.0115-ES	125
RISE A142	119	S052.1000	68, 108	S062.2880	135	S063.0465	149	S152.0120	126
RISE A152	120	S052.2000	68, 108	S062.2881	135	S063.0500	155	S152.0120-ES	126
RISE A161	120	S052.2010	69, 109	S062.2882	136	S063.0595	155	S182.7025	139
RISE A162	120	S052.2020	109	S062.2883.06	136	S063.0600	157	SBBW.0400-37	147
RISE A163	121	S052.5070	159	S062.2885	137	S063.0800	67	SBBW.0400-63	147
RISE A164	121	S052.5075	160	S062.2900	134	S063.1010	156	SBBW.0400-89	147
RISE A172	121	S052.5080	132	S062.2905	134	S063.1020	156	SBBW.0650-121	148
RISE A173	121	S052.6000	69, 109	S062.3000	154	S063.1039-M8	157	SBBW.0650-156	148
RISE A174	122	S052.7110	131	S062.3000-225	154	S063.1510	157	SBBW.0650-64	148
RISE A311	122	S052.7135	133	S062.3220	64	S063.3010	157		
RISE A321	122	S052.7145	133	S062.3500	155	S063.3510	157		
RISE WBS65	116	S052.7150B	131	S062.3720	65	S063.4400	70	T1544	49
RISE WBS65M	117	S052.7150W	132	S062.3905	65	S063.7207	128	T1844	49
RISE WBS75	116	S052.7200	124	S062.4425.01	67	S063.7240	128	T2044	49
RISE WBS75M	117	S052.7217	133	S062.7105	130	S063.7260	129, 133	TD1564	50
RISE WBS86	116	S052.7230	128	S062.7205B	131	S063.8020	152	TD1584	51
RISE WBS86M	117	S052.7235	128	S062.7275	124	S063.8055	152	TD1864	50
		S052.7245	129	S062.7295	124	S063.8100	153	TD1884	51
		S052.7247	129	S062.7300	160	S063.8555	153	TD2064	50
		S052.7285	129	S062.7420.01	130	S063.8635	151	TD2084	51
		S052.7288	129	S062.7665	123	S063.8695	151	TVW2255	73
		S052.7400-65	138	S062.8050	150	S092.1500.2	171	TVW3355	73
		S052.7400-86	138	S062.8050-225	150	S092.1600.1	171		
		S052.7500	139	S063.0100	70, 156	S092.1600.2	172		
		S062.0535-65	66	S063.0110.01	70	S092.1600.3	172		
		S062.0535-65W	66	S063.0200	156	S092.1600.4	173		

S**T**

Follow Vogel's:



2025 ©Vogel's Holding BV. All rights reserved. Subject to printing errors, technical and price amendments.

Disclaimer: While every effort is made to ensure the accuracy of the information provided, Vogel's shall not be held responsible for any errors. This also applies to mistakes or omissions in respect of prices or measurements. Not all products are available in every country.



Vogel's. For Sure.