



SYSTEM  
**XPERT**

SYSTEM  
**XPRESS**

dvLED Mounting Systems  
**Designed for All Brands of LED**

# dvLED Videowall Mounting Solutions



## Future Stores

London, Oxford Street  
400sqm dvLED wall using **System Xpert**

## Discover the Ultimate dvLED Mounting Solutions by B-Tech AV Mounts

Over the past decade B-Tech AV Mounts has continuously expanded and refined one of the most comprehensive and versatile dvLED mounting systems on the market. Our award-winning solutions are trusted globally across a wide range of projects, from compact installations to large-scale, high-profile AV setups. Whatever the size or scope, we have the perfect solution for you.


**New for 2025,** we're excited to introduce three specialised ranges tailored to meet diverse requirements, offering unparalleled flexibility and convenience.

## New for 2025

3-ways to create your ideal dvLED solutions!

Pg.6


### SYSTEM XPERT



**System Xpert**, the installers choice, is a premium range of dvLED mounting solutions trusted for its quality, ease of use, adjustability and fast installation. It meets every need, from simple small format wall mounts to extra-large, curved, odd shaped or even ceiling setups. Configurations can be generated using our online configuration tool. For more ambitious projects, our expert engineers can assist with bespoke specifications via email at [technical@btechavmounts.com](mailto:technical@btechavmounts.com). The range includes detailed documentation, pre-assembled components and precision engineered Interface components for your specific application.

Pg.12

### SYSTEM XPRESS



**System Xpress** revolutionises dvLED mounting supply with its innovative, universal design for self-locking cabinets. Featuring Patent Pending Xpress Connectors instead of screen-specific interface arms, this system offers unmatched versatility. The connectors click into your cabinets and lock effortlessly into supplied rails, enabling wall, floor, or ceiling installations with precision. Pre-configured in the most popular 16:9 layouts and stocked for immediate availability, System Xpress eliminates the need for custom fabrication, making it the fastest and easiest way to receive your dvLED mounting solution.

Pg.16

### Mounting solutions for ALL-IN-ONE DISPLAYS



Our **System AIO** range provides dedicated mounting solutions for the most popular all-in-one dvLED displays on the market. Offering wall-mounted, floor-standing, and mobile options, **System AIO** supports leading brands such as **Absen**, **LG**, and **Samsung**, ensuring a perfect fit for your display requirements.



# Making dvLED installation simple

To ensure the precise installation of dvLED cabinets, B-Tech provides a range of features in our dvLED solutions, including custom cut-to-size parts for every order. Our System X components are designed with level, depth, height, and angle adjustments, ensuring they meet diverse mounting requirements. These innovations make the installation of dvLED video walls straightforward, efficient, and highly adaptable to any set-up.



**Depth and Height Adjustment Brackets**  
Precision alignment on uneven surfaces



**Floor Base with Level Adjustment**  
Suitable for uneven floors



**Retractable Floor Base**  
Allows easy access to the front of AV displays  
*Ideal for shop window displays*



**All dvLED Solutions include Cut to Size parts**  
No on-site cuts required



**B-Tech's Service+** offers customers a fully integrated service tailored specifically for our System Xpert dvLED solutions.


## Our team of in-house engineers delivers:

- Bespoke, installation-specific technical drawings.
- Pre-assembly of component parts for added convenience.
- Precision-cut rail lengths customised to your exact specifications - *a feature that sets us apart from competitor services.*

**Best of all, this service is provided free of charge for System Xpert Solutions.**




Pre-assembly of component parts



**Installation specific technical drawings**  
with all required dimensions for a straight forward assembly

**dvLED Mounting Solutions available for all major brands, including...**

<b>Abysen</b>	<b>AIHUA</b> TECHNOLOGY	<b>allsee</b>	<b>AOTO</b>
<b>BARCO</b>	<b>BAUER</b> DIGITAL	<b>BOE</b>	<b>CHRISTIE</b>
<b>DAKTRONICS</b>	<b>digiLED</b>	<b>DELTA</b>	<b>DIGITAL PROJECTION</b>
<b>Ecdlumen</b> by LianTronics	<b>HandyLED™</b>	<b>HIKVISION</b>	<b>Hisense</b>
<b>INFILED</b>	<b>LANG</b>	<b>MAXHUB</b>	<b>Ledman</b>
<b>LEDstudio</b>	<b>LEYARD</b> ILLUMINANCE	<b>LG</b>	<b>LianTronics</b>
<b>Optoma</b>	<b>PHILIPS</b>	<b>PPDS</b>	<b>PixelFLEX</b>
<b>QSTECH</b>	<b>SAMSUNG</b>	<b>SiliconCore7</b>	<b>SNA DISPLAYS</b>
<b>SHARP/NEC</b>	<b>SONY</b>	<b>Unilumin</b>	<b>VESTEL</b>





SYSTEM  
**XPERT**



SYSTEM  
**XPRESS**



**ALL-IN-ONE**  
DISPLAYS

Recommended Max configuration size	<b>Unlimited</b>	<b>10x10</b>	All-in-One
Production lead time (working days)	<b>25 days</b>	UK / EU: <b>0-2 days</b> Rest of the World: <b>4-8 days</b>	UK / EU: <b>0-2 days</b> Rest of the World: <b>4-8 days</b>
Universal compatibility	Designed and manufactured in accordance with the customer's cabinets	All 'latching' cabinets	Absen / LG / Samsung All-In-One displays
Function	Wall, Floor, Mobile, Bolt-Down, Ceiling Hung, Ceiling Flat, Curved, Bespoke	Wall, Floor, Mobile, Bolt-Down, Ceiling Hung	Wall, Floor, Mobile, Bolt-Down
Install time	<b>Fast</b>	<b>Medium</b>	<b>Fast</b>
Rear Mount	✓	✓	✗
Front Mount	✓	✗	✓
Micro-adjustment on wall plate	✓ Height & depth up to +/-10mm*	✓ Height & depth +/-5mm	✓ Height & depth +/-10mm
Height micro-adjustment on interface	✓ 20mm	✗	✓ 20mm
Depth adjustment	✓	✓	✓
Rails cut to size	✓	✓	✓
Pre-assembly with 	✓	✗	✗
Technical drawings provided by 	✓ Install specific drawings provided	✗ General installation guide with clear instructions provided for configurations outside of stocked packages ✓ Provided with stocked packages	✓ Provided with stocked packages
Indoor / Outdoor use	<b>Indoor &amp; Outdoor*</b>	<b>Indoor</b>	<b>Indoor</b>

\*Depending on application




Configure to your requirements using our online configurator, or contact [technical@btechavmounts.com](mailto:technical@btechavmounts.com) for more advanced set-ups.

*Examples of configurations are shown below; all configurations are available.*

### ■ BT9340 dvLED **Wall Mount** for any configuration




**Depth and Height Adjustment Brackets**  
Precision alignment on uneven surfaces



### ■ BT9342 dvLED **Ceiling Mount** for any configuration




**Depth and Height Adjustment Brackets**  
Precision alignment for ceiling mounted solutions



### ■ BT9344 dvLED **Floor-To-Ceiling Mount** for any configuration



**Depth and Height Adjustment Brackets**  
Precision alignment for ceiling mounted solutions



< > ↺ 🔍 [www.btechavmounts.com/led-panel-configurator](http://www.btechavmounts.com/led-panel-configurator) ☆ ☰



See online for more information about our online configurator.

■ **BT9370**  
**dvLED Videowall Stand**  
for any configuration




■ **BT9371**  
**dvLED Mobile Stand**  
for any configuration



■ **BT9372**  
**dvLED Bolt-Down Stand**  
for any configuration



Optional **Adjustable Floor Base**  
with level adjustment for uneven floors



■ **BT9377**  
**dvLED Bolt-Down Stand with Retractable Base**  
for any configuration



**Retractable Floor Bases**  
Ideal for close to window installs





Configure to your requirements using our online configurator, or contact [technical@btechavmounts.com](mailto:technical@btechavmounts.com) for more advanced set-ups.

*Examples of configurations are shown below; all configurations are available.*

### ■ BT9343

**dvLED Curved Wall Mount**  
for any configuration



**Depth and Height Adjustment Brackets**  
Precision alignment on uneven surfaces



### ■ BT9373

**dvLED Curved Stand**  
for any configuration



**Adjustable Levelling Feet**  
to allow for uneven floor surfaces




### ■ BT9375

**dvLED Curved Bolt-Down Stand**  
for any configuration



Optional **Adjustable Floor Base**  
with level adjustment for uneven floors



dvLED Curved mounts designed for Latching Curved Cabinets




< > ↺ 🔍 [www.btechavmounts.com/led-panel-configurator](http://www.btechavmounts.com/led-panel-configurator) ☆ ☰



See online for more information about our online configurator.

## ■ BT9376 dvLED **Curved Wave Bolt-Down Stand** for any configuration




**Bolt Down Floor Bases**  
with level adjustment for uneven floors

## ■ BT9350 **Internal dvLED Corner Wall Mount**

## ■ BT9351 **External dvLED Corner Wall Mount**

## ■ BT9352 **Cube dvLED Videowall Mount**



**Depth and Height Adjustment Brackets**  
Precision alignment on uneven surfaces

## ■ BT9378 dvLED **Motorised Height Adjustable Mobile Stand**




# Direct View LED Videowall Online Configuration Tool

**Step 1:** Go to [www.btechavmounts.com](http://www.btechavmounts.com)



**Step 2:** Select Wall, Freestanding, Mobile or Bolt-Down



Configurations can be specified in just a few simple clicks. Start by choosing between wall or floor stand mounted options. Then, enter details about your screen size and the quantity to be installed, the orientation, the type and brand of dvLED panel to be used.

Once complete, fill out your contact details, and we'll get in touch and give you a quote for your requested configuration.


Floor Stands: Select **Mobile**, **Freestanding** or **Bolt-Down**



Freestanding



Mobile



Bolt-Down

## For Wall, Freestanding, Mobile and Bolt-Down Mounting Solutions

For an in depth tutorial and explanation of System Xpert scan the QR code to view our online overview video.




### Step 3: Select specifications from drop down boxes

LED Cabinets Per Row	please select	▼
Number of Rows of LED Cabinets	please select	▼
Cabinet Dimensions	please select	▼
Cabinet Weight	please select	▼
Cabinet Brand / Model Number	please select	▼
Cabinet Fixing Method	please select	▼



### Step 4: Configure your LED Mounting Solution






B-Tech Model:  
BT9340-3x2

### Step 5:

[Request a quote for this configuration](#)

### Alternatively: Contact B-Tech for Curved, Ceiling or Bespoke Solutions

To configure **curved**, **ceiling** or **bespoke** dvLED mounting solutions contact [technical@btechavmounts.com](mailto:technical@btechavmounts.com) stating your specifications to receive a quote within days.



**System Xpress** offers a versatile range of universal dvLED mounting kits, ready for express shipment from stock. These kits can be ordered as pre-packaged solutions in configurations such as 4x4, 5x5, 6x6, and 8x8 or for other sizes and shapes, quoted and shipped using off-the-shelf components under a unique Bill of Materials for your specific project

Designed to mount interlocking 27" dvLED cabinets (Min. width 600 - Max. 610mm), System Xpress features universal mounting connectors that eliminate the need for custom parts. This allows mounting solutions to be quoted, stocked, and shipped with speed and efficiency.

With same-day lead times for our ready-to-go kits and next day for everything else - that's what we call Xpress service!

*For custom configurations, cabinets other than 27" and bespoke solutions, see page 14.*

## ■ BTXPS27-W

### Universal 27" dvLED **Wall Mount**



Available in 4 pre-configured kits

BTXPS27-W4X4	4x4	Dimensions*: W. 2400-2440 x H. 1370 x D. 60mm
BTXPS27-W5X5	5x5	Dimensions*: W. 3000-3050 x H. 1710 x D. 60mm
BTXPS27-W6X6	6x6	Dimensions*: W. 3600-3660 x H. 2050 x D. 60mm
BTXPS27-W8X8	8x8	Dimensions*: W. 4800-4880 x H. 2740 x D. 60mm



## ■ BTXPS27-S

### Universal 27" dvLED **Stand**



Available in 4 pre-configured kits

BTXPS27-S4X4	4x4	Dimensions*: W. 2400-2440 x H. 2500 x D. 950mm
BTXPS27-S5X5	5x5	Dimensions*: W. 3000-3050 x H. 2500 x D. 950mm
BTXPS27-S6X6	6x6	Dimensions*: W. 3600-3660 x H. 2500 x D. 950mm
BTXPS27-S8X8	8x8	Dimensions*: W. 4800-4880 x H. 3100 x D. 950mm






## System Xpress Features




'Click & Lock' (patent pending)  
Interface Mounting Connector for a  
simple and secure installation



Depth Adjustable  
Rail Mounts



Bottom Row Spacer  
for Level Installation



Designed for use  
with dvLED **Locking  
Cabinets**

### ■ BTXPS27-B Universal 27" dvLED **Bolt-Down** Stand



Available in 4 pre-configured kits

BTXPS27-B4X4	4x4	Dimensions*: W: 2400-2440 x H: 2410 x D: 240mm
BTXPS27-B5X5	5x5	Dimensions*: W: 3000-3050 x H: 2410 x D: 240mm
BTXPS27-B6X6	6x6	Dimensions*: W: 3600-3660 x H: 2410 x D: 240mm
BTXPS27-B8X8	8x8	Dimensions*: W: 4800-4880 x H: 3010 x D: 240mm



### ■ BTXPS27-M Universal 27" dvLED **Mobile** Stand



Available in 4 pre-configured kits

BTXPS27-M4X4	4x4	Dimensions*: W: 2400-2440 x H: 2620 x D: 950mm
BTXPS27-M5X5	5x5	Dimensions*: W: 3000-3050 x H: 2620 x D: 950mm
BTXPS27-M6X6	6x6	Dimensions*: W: 3600-3660 x H: 2620 x D: 950mm
BTXPS27-M8X8	8x8	Dimensions*: W: 4800-4880 x H: 3220 x D: 950mm



\*Product dimensions are based on mounting 600-610mm x 342mm cabinets.

For configurations beyond our off-the-shelf options, we offer custom **System Xpress** packages, recommended for up to 10x10 set-ups. For larger or more complex configurations, our System Xpert solutions have you covered.

Designed to support a wide range of interlocking dvLED cabinets of any size, System Xpress features universal mounting connectors that eliminate the need for custom parts. This allows mounting solutions to be quoted, stocked, and shipped with speed and efficiency.

For an in depth tutorial and explanation of System Xpress scan the QR code to view our online overview video.

*Examples of configurations are shown below; all configurations up to 10x10 are available under System Xpress.*



### ■ **BT9240**

**Universal dvLED Wall Mount**  
for any configuration



### ■ **BT9270**

**Universal dvLED Stand**  
for any configuration



**Adjustable Levelling Feet**  
to allow for uneven floor surfaces



### ■ **BT9271**

**Universal dvLED Mobile Stand**  
for any configuration




**4" non-marking Braked Castors**  
for easy repositioning of the videowall



## System Xpress Features



**'Click & Lock'**  
Interface Mounting Connector  
for a simple and secure installation



**Depth Adjustable**  
Rail Mounts



**Bottom Row Spacer**  
for Level Installation



Designed for use  
with dvLED **Locking**  
**Cabinets**

### ■ BT9272

**Universal dvLED Bolt-Down Stand**  
for any configuration



Optional **Adjustable Floor Base**  
with level adjustment for uneven floors



### ■ BT9242

**Universal dvLED Ceiling Mount**  
for any configuration



### ■ BT9244

**Universal dvLED Floor-to-Ceiling Mount**  
for any configuration



**Mounting solutions available for all major brands of All-in-One displays**



Designs specifically for LG's LAEC015 136", LAEC018 163" and LAED015 171" All-In-One LED Screens, the range consists of wall mounted, freestanding, mobile and bolt-down versions and all feature the same high-end aesthetic, anodised aluminium finish and integrated cable management, which ensures a smart and stylish installation.

## Freestanding Solutions

- **BT83LAEC015-S**  
Freestanding Floor Stand  
for LG LAEC015 136" Display



- **BT83LG163-S**  
Freestanding Floor Stand  
for LG LAEC018 163" Display



- **BT83LG171-S**  
Freestanding Floor Stand  
for LG LAEC015 171" 21:9 Display



## Mobile Solutions

- **BT83LAEC015-M**  
Mobile Floor Stand  
for LG LAEC015 136" Display



- **BT83LG163-M**  
Mobile Floor Stand  
for LG LAEC018 163" Display





**Scan to view  
our LG dvLED  
Mounting Brochure**



## Bolt-Down Solutions

- **BT83LAEC015-B**  
Bolt-Down Floor Stand  
for LG LAEC015 136" Display



- **BT83LG163-B**  
Bolt-Down Floor Stand  
for LG LAEC018 163" Display



- **BT83LG171-B**  
Bolt-Down Floor Stand  
for LG LAEC015 171" 21:9 Display



- **BT83LG171-M**  
Mobile Floor Stand  
for LG LAEC015 171" 21:9 Display



**Mounting solutions available for all major brands of All-in-One displays**

**SAMSUNG**

Designs specifically for **Samsung's The Wall IAB 110"**, **IAC 130"** and **IAB 146"** All-In-One LED Screens, the range consists features freestanding and bolt-down stands and all feature the same high-end aesthetic, anodised aluminium finish and integrated cable management, which ensures a smart and stylish installation. For a mobile stand add BT8380-CASTORS to a freestanding solution.

### Freestanding Solutions

#### ■ BT9370-SAM110

**Freestanding Floor Stand  
for Samsung All-In-One  
110" IAB Display**



#### ■ BT9370-SAM130

**Freestanding Floor Stand  
for Samsung All-In-One  
130" IAC Display**



#### ■ BT9370-SAM146

**Freestanding Floor Stand  
for Samsung All-In-One  
146" IAB Display**



**Absen**

Mounting solutions designed specifically for **Absens iCon series All-In-One LED Screens**, the range consists of wall mounted, freestanding, mobile and bolt-down versions and all feature the same high-end aesthetic, anodised aluminium finish and integrated cable management, which ensures a smart and stylish installation.

**Scan to view  
our Absen dvLED  
Mounting Brochure**

**Scan to view  
our Samsung dvLED  
Mounting Brochure**



## Bolt-Down Solutions

- **BT9372-SAM110**  
Bolt-Down Floor Stand  
for Samsung All-In-One  
110" IAB Display



- **BT9372-SAM130**  
Bolt-Down Floor Stand  
for Samsung All-In-One  
130" IAC Display



- **BT9372-SAM146**  
Bolt-Down Floor Stand  
for Samsung All-In-One  
146" IAB Display





SYSTEM X

**United Kingdom**

+44 (0)1327 300 787

uk@btechavmounts.com

**Europe**

+32 (0)2 720 9271

europe@btechavmounts.com

**Germany**

+49 (0)2162-5483032

dach@btechavmounts.com

**Spain**

+34 93 640 24 79

iberia@btechavmounts.com

**Americas**

+1 888 792 8188

americas@btechavmounts.com

**MEAI**

+971 4 3574855

meai@btechavmounts.com

**APAC**

+65 3159 1604

apac@btechavmounts.com

**China**

(+86) 574 8810 3861

china@btechavmounts.com

**South Korea**

+82 (0) 2 862 3165

korea@btechavmounts.com

**Vietnam**

+84 (0)24 3201 3418

vietnam@btechavmounts.com

For full details of all B-Tech offices, please visit [www.btechavmounts.com/contact-us](http://www.btechavmounts.com/contact-us) or scan here:



© 2025 January B-Tech AV Mounts Corporation Ltd., All rights reserved.

The information in this catalogue reflects the current technical specifications at the time of print. We reserve the right to change the technical or physical specifications without prior notice. System X, System Xpert, System Xpress, System 2 & System V are trademarks of B-Tech AV Mounts Corporation Ltd., B-Tech AV Mounts, the B-Tech logo, Ventry & Mode-AL are all registered trademarks. All B-Tech images & symbols are exclusive property of B-Tech AV Mounts Corporation Ltd. All other brands & products are trademarks of their respective owners. B-Tech accept no liability for loss or damage caused by improper installation or mounting on unstable structures. E&OE.

**Disclaimer**

B-Tech security fasteners are designed as a security deterrent only. B-Tech, B-Tech distributors & B-Tech resellers accept no liability for loss or resulting costs incurred from the theft, attempted theft or unauthorised removal of any item(s) mounted using B-Tech security fasteners. Security screw removal tools are widely available & all B-Tech security fasteners are intended as a deterrent to the opportunist thief only.

B-Tech AV Mounts is part of the



GLOBAL MOUNTS GROUP

[www.globalmountsgroup.com](http://www.globalmountsgroup.com)



Designed & Engineered  
in the UK

DPB-2025-VI-200125-ENG

[www.btechavmounts.com](http://www.btechavmounts.com)

[info@btechavmounts.com](mailto:info@btechavmounts.com)